



**Simple and flexible solution to design modern light lines
in professional and retail spaces**

SLIM LED MAGNETIC TRACK FLOOD LIGHT SERIES

| PRODUCT INFORMATION

- Modern looking, neat luminaire offering comfortable, good quality lighting and can also work as a design element.
- Ideal lighting in the non-working areas of professional spaces such as offices, educational institutes, and also the welcoming areas and entrances of retail spaces.
- ILLUS SLIM LED MAGNETIC TRACK FLOOD Light gives the customer the flexibility to choose between 6 models based on their specific need with lumen package from 810lm to 2250lm.

| BENEFITS

- Clean and uniform light.
- Multiple application use.
- Easy to install and maintain.

| FEATURES

- High CRI>95.
- Efficacy up to 77 lm/W.
- Long lifespan 30,000H.
- Operating voltage DC48V.
- Non-Dimmable.



**BEYOND LIGHT..
TO THE LAST DETAILS!**

AREAS OF APPLICATION



Hospitality



Shopping Center



Commercial



Educational Center


TECHNICAL OPERATING & ELECTRICAL DATA

IP Rating	IP20
CRI	95
Body Color	Black
Body Material	Aluminum
Operating Voltage	DC48V
Beam Angle	110°
Dimming	Non-Dimmable
IEC Classification	Class III
Lifespan	30000H
Switching Cycle	100000X on/off
Warranty Period	36 Months


SPECIFICATIONS

Code No.	Model No.	Power	Lumen	Efficacy	CCT	Saving Energy	Current	Equivalent
615152	ILS30WSMLF930WW01	30W	2200lm	73.33lm/W	3000K	78%	620mA	134W
615153	ILS30WSMLF940NW01	30W	2250lm	75lm/W	4000K	79%	620mA	142W
615156	ILS24WSMLF930WW01	24W	1750lm	72.92lm/W	3000K	79%	500mA	112W
615157	ILS24WSMLF940NW01	24W	1850lm	77.08lm/W	4000K	80%	500mA	118W
615160	ILS12WSMLF930WW01	12W	810lm	67.50lm/W	3000K	80%	250mA	60W
615161	ILS12WSMLF940NW01	12W	850lm	70.83lm/W	4000K	81%	250mA	63W


DIMENSIONS




615152 - 615153



615156 - 615157



615160 - 615161



**SLIM LED MAGNETIC
TRACK FLOOD LIGHT
SERIES**

**BEYOND LIGHT..
TO THE LAST DETAILS!**

