




SWITCHES & SOCKETS

ilict

AREAS OF APPLICATION



Hospitality



Shopping Center



Commercial



Educational Center


TECHNICAL OPERATING & ELECTRICAL DATA

Product Type	Electrical Wiring Devices
Embedding Depth	26.4mm
Current Capacity	250V~16AX
Frame Material	Q235
Frame Color	Gavanized Steel
Contacts Material	AgCdO
Module Color	Black

SPECIFICATIONS

Code No.	Model No.	Body Color	Body Material
LI532945	1G-2W-2SSG-Sw	Gold	PC+Metal
LI532946	1G-2W-2SSS-Sw	Brushed Silver	PC+Metal
LI532947	1G-2W-2SSBZ-Sw	Brushed Bronze	PC+Metal
LI532948	1G-2W-2SSBK-Sw	Black	PC+Metal
LI532949	2G-2W-2SSG-Sw	Gold	PC+Metal
LI532950	2G-2W-2SSS-Sw	Brushed Silver	PC+Metal
LI532951	2G-2W-2SSBZ-Sw	Brushed Bronze	PC+Metal
LI532952	2G-2W-2SSBK-Sw	Black	PC+Metal
LI532953	3G-2W-2SSG-Sw	Gold	PC+Metal
LI532954	3G-2W-2SSS-Sw	Brushed Silver	PC+Metal
LI532955	3G-2W-2SSBZ-Sw	Brushed Bronze	PC+Metal
LI532956	3G-2W-2SSBK-Sw	Black	PC+Metal
LI532957	4G-2W-2SSG-Sw	Gold	PC+Metal
LI532958	4G-2W-2SSS-Sw	Brushed Silver	PC+Metal
LI532959	4G-2W-2SSBZ-Sw	Brushed Bronze	PC+Metal
LI532960	4G-2W-2SSBK-Sw	Black	PC+Metal
LI532961	4G-2W-2SSLG-Sw	Gold	PC+Metal
LI532962	4G-2W-2SSLS-Sw	Brushed Silver	PC+Metal
LI532963	4G-2W-2SSLBZ-Sw	Brushed Bronze	PC+Metal
LI532964	4G-2W-2SSLBK-Sw	Black	PC+Metal


DIMENSIONS



LI532945 - LI532946 - LI532947 - LI532948



LI532945 - LI532946 - LI532947 - LI532948




LI532949 - LI532950 - LI532951 - LI532952



LI532949 - LI532950 - LI532951 - LI532952


DIMENSIONS




LI532953 - LI532954 - LI532955 - LI532956



LI532953 - LI532954 - LI532955 - LI532956




LI532957 - LI532958 - LI532959 - LI532960



LI532957 - LI532958 - LI532959 - LI532960

DIMENSIONS



LI532961 - LI532962 - LI532963 - LI532964



LI532961 - LI532962 - LI532963 - LI532964

APPLICATION PICTURE



SWITCHES & SOCKETS

