

SWITCHES & SOCKETS

ilict

AREAS OF APPLICATION



Hospitality



Shopping Center



Commercial



Educational Center


TECHNICAL OPERATING & ELECTRICAL DATA

Product Type	Electrical Wiring Devices
Embedding Depth	24.4/25/31.5mm
Current Capacity	250V~16AX
Frame Material	Q235
Frame Color	Galvanized Steel
Contacts Material	AgCdO
Module Color	Black

SPECIFICATIONS

Code No.	Model No.	Body Color	Body Material
LI533005	Blank-2SSLG-Sw	Gold	PC+Metal
LI533006	Blank-2SSLS-Sw	Brushed Silver	PC+Metal
LI533007	Blank-2SSLBZ-Sw	Brushed Bronze	PC+Metal
LI533008	Blank-2SSLBK-Sw	Black	PC+Metal
LI533009	DP-BS-13A-2SSG-So+Sw	Gold	PC+Metal
LI533010	DP-BS-13A-2SSS-So+Sw	Brushed Silver	PC+Metal
LI533011	DP-BS-13A-2SSBZ-So+Sw	Brushed Bronze	PC+Metal
LI533012	DP-BS-13A-2SSBK-So+Sw	Black	PC+Metal
LI533013	SP-BS-13A+USB+TC-2SSG-So+Sw	Gold	PC+Metal
LI533014	SP-BS-13A+USB+TC-2SSS-So+Sw	Brushed Silver	PC+Metal
LI533015	SP-BS-13A+USB+TC-2SSBZ-So+Sw	Brushed Bronze	PC+Metal
LI533016	SP-BS-13A+USB+TC-2SSBK-So+Sw	Black	PC+Metal
LI533017	DP-1G-20A-2SSG-Sw	Gold	PC+Metal
LI533018	DP-1G-20A-2SSS-Sw	Brushed Silver	PC+Metal
LI533019	DP-1G-20A-2SSBZ-Sw	Brushed Bronze	PC+Metal
LI533020	DP-1G-20A-2SSBK-Sw	Black	PC+Metal
LI533021	DP-1G-45A-2SSG-Sw	Gold	PC+Metal
LI533022	DP-1G-45A-2SSS-Sw	Brushed Silver	PC+Metal
LI533023	DP-1G-45A-2SSBZ-Sw	Brushed Bronze	PC+Metal
LI533024	DP-1G-45A-2SSBK-Sw	Black	PC+Metal


DIMENSIONS



LI533005 - LI533006 - LI533007 - LI533008



LI533005 - LI533006 - LI533007 - LI533008




LI533009 - LI533010 - LI533011 - LI533012



LI533009 - LI533010 - LI533011 - LI533012


DIMENSIONS



LI533013 - LI533014 - LI533015 - LI533016



LI533013 - LI533014 - LI533015 - LI533016



LI533017 - LI533018 - LI533019 - LI533020 - LI533021 - LI533022 - LI533023 - LI533024



LI533017 - LI533018 - LI533019 - LI533020 - LI533021 - LI533022 - LI533023 - LI533024

APPLICATION PICTURE



SWITCHES & SOCKETS

ilict

Carrer de la Vall de la Ballestera, 64, 46015 València, Valencia, España, Tel: +34619824456

www.illusillumination.com

illus illumination reserve the right to make dimensional, design and technical alternations without prior notice. illus illumination endeavor to ensure that any advice, recommendation or information it provides in product literature is accurate and correct. However due to the fact that illus do not have direct control on where and how the products are installed, illus illumination cannot accept any liability either direct or indirect arising from the use of illus products whether or not in accordance with any advice, specification, recommendation or information provided by illus illumination or its distributors.

11192021V1