



LED PRO

Your Everyday LED Spot

LED GU10 LAMP SERIES WHITE

PRODUCT INFORMATION

- LEDspots GU10 are designed as a retrofit replacement for halogen spots.
- Deliver significant energy savings and minimize initial investment.
- ILLUS LED GU10 lamp gives the customer the flexibility to choose between 4CCT based on their specific need with lumen package from 460 lm to 490 lm.

BENEFITS

- Up to %90 energy saving compared with traditional halogen lamps.
- Lower maintenance costs.
- Low initial investment.

FEATURES

- High CRI>90.
- Efficacy up to 86 lm/w.
- Long life span 25,000h
- Operating voltage 220 – 240 V.
- Non – dimmable.
- UV – IR – free light.

AREAS OF APPLICATION



Hospitality



Public indoor



Shopping Center



Commercial



Workplace



Educational center



TECHNICAL OPERATING & ELECTRICAL DATA


Input Voltage & Frequency	AC100-240V, 50/60Hz
Rated CRI	95
Beam Angle	36°
Life Span	25,000h
Displacement Factor	0.5
Ingress Protection Rating	IP20
Dimming	Non-Dimmable
Ambient Temperature	-20°~+45° C
Switching Cycle ON/OFF	100,000
Protection Class	Class II

SPECIFICATIONS


Code No.	Model No.	Power	CCT	Lumen	Efficacy	Current
612447	ILS460GU10L927WW01	5.7W	2700k	460lm	81lm/W	51.5 mA
612448	ILS470GU10L930WW01	5.7W	3000k	470lm	82lm/W	50.1mA
612449	ILS480GU10L940NW01	5.7W	4000k	480lm	84lm/W	51.3mA
612450	ILS490GU10L950DL01	5.7W	5000k	490lm	86lm/W	51.3mA

DIMENSIONS


Code No.	Model No.	Dimensions
612447	ILS460GU10L927WW01	50x54mm
612448	ILS470GU10L930WW01	50x54mm
612449	ILS480GU10L940NW01	50x54mm
612450	ILS490GU10L950DL01	50x54mm




PHOTOMETRIC DATA




612447



612448



612449



612450

APPLICATION PICTURE



This image is for display purpose only, the image may differ from the actual product, as the product is subject to modification provided without prior notice.

LED GU10 LAMP SERIES WHITE

**BEYOND LIGHT..
TO THE LAST DETAILS!**



Carrer de la Vall de la Ballestera, 64, 46015 València, Valencia, España, Tel: +34619824456

www.illusillumination.com

illus illumination reserve the right to make dimensional, design and technical alternations without prior notice. illus illumination endeavor to ensure that any advice, recommendation or information it provides in product literature is accurate and correct. However due to the fact that illus do not have direct control on where and how the products are installed, illus illumination cannot accept any liability either direct or indirect arising from the use of illus products whether or not in accordance with any advice, specification, recommendation or information provided by illus illumination or its distributors.

09082021V1