



LED PRO

Simple & Flexible Solution

LED WALL GRAZER LUMINAIRE SERIES

PRODUCT INFORMATION

- Excellently anti-dust LED with professional design to guarantee lighting performance.
- It not only ensures high quality of lighting color consistency but also protect products against from harsh environments.
- ILLUS LED Wall Grazer Luminaire gives the customer the flexibility to choose between 4 models based on their specific need with lumen package from 800 lm to 2800 lm.

BENEFITS

- Vivid light color.
- Less maintenance cost and less concerns.

FEATURES

- High CRI>80.
- Efficacy up to 78 lm/w.
- Long life span 30,000 hrs.
- Operating voltage AC220-240V.
- Non – dimmable.



**BEYOND LIGHT..
TO THE LAST DETAILS!**

AREAS OF APPLICATION



Shopping Center



Commercial



Educational Center




TECHNICAL OPERATING & ELECTRICAL DATA

IP rating	IP65
CRI	80
Lumen	from 800 to 2800lm/M+/-10%
Voltage	AC220-240V
Frequency	50/60Hz
Dimmable or not	No
Life span	30,000hrs


SPECIFICATIONS

Code No.	Model No.	IP	Power	Lumen	CRI	CCT	Efficacy	Dimensions
612833	ILS18ACWGLL830WW01	65.0	12W	800.0	80	3000K	66.67	62x92x500mm
612834	ILS18ACWGLL830WW01	65.0	18W	1400.0	80	3000K	77.78	62x92x500mm
612835	ILS24ACWGLL830WW01	65.0	24W	1800.0	80	3000K	75.00	62x92x1000mm
612836	ILS36ACWGLL830WW01	65.0	36W	2800.0	80	3000K	77.78	62x92x1000mm

DIMENSIONS



612833 - 612834



612835 - 612836

APPLICATION PICTURE



This image is for display purpose only, the image may differ from the actual product, as the product is subject to modification provided without prior notice.

LED WALL GRAZER LUMINAIRE SERIES

**BEYOND LIGHT..
TO THE LAST DETAILS!**



Carrer de la Vall de la Ballestera, 64, 46015 València, Valencia, España, Tel: +34619824456

www.illusillumination.com

illus illumination reserve the right to make dimensional, design and technical alternations without prior notice. illus illumination endeavor to ensure that any advice, recommendation or information it provides in product literature is accurate and correct. However due to the fact that illus do not have direct control on where and how the products are installed, illus illumination cannot accept any liability either direct or indirect arising from the use of illus products whether or not in accordance with any advice, specification, recommendation or information provided by illus illumination or its distributors.

11192021V1