



LED PRO

HOLDER OF PENDANT LUMINAIRES

AREAS OF APPLICATION



Hospitality



Shopping Center



Commercial



Educational Center




TECHNICAL OPERATING & ELECTRICAL DATA

IP Rating	IP 20
Mounting Type	Surface-mounted on ceiling
Fixed or Adjustable	Fixed
Voltage	AC220-240V
Frequency	50/60Hz
Dimmable or Not	No
Life Span	20,000hrs
Cable Dimensions	0.75x1500mm
Based Dimensions	110x70mm
Lamp Holder Type	E27

SPECIFICATIONS

Code No.	Model No.	Body Color	Body Material	Frame Color	Frame Material	Holder Dimensions
651019	ILSFSPPF18	concert	plastic+concert	black	copper+silicon+ fabric	54x85mm
651020	ILSFSPPF19	concert	plastic+concert	black	copper+silicon+ fabric	68x90mm
651040	ILSFSPPF20	concert	plastic+concert	black	copper+silicon+ fabric	60x80mm
651041	ILSFSPPF21	concert	plastic+concert	black	copper+silicon+ fabric	70x80mm
651042	ILSFSPPF22	concert	plastic+concert	black	copper+silicon+ fabric	60x80mm

DIMENSIONS




651019


651020

651040

DIMENSIONS



651041



651042

APPLICATION PICTURE



HOLDER OF PENDANT LUMINAIRES

**BEYOND LIGHT..
TO THE LAST DETAILS!**



Carrer de la Vall de la Ballestera, 64, 46015 València, Valencia, España, Tel: +34619824456

www.illusillumination.com

illus illumination reserve the right to make dimensional, design and technical alternations without prior notice. illus illumination endeavor to ensure that any advice, recommendation or information it provides in product literature is accurate and correct. However due to the fact that illus do not have direct control on where and how the products are installed, illus illumination cannot accept any liability either direct or indirect arising from the use of illus products whether or not in accordance with any advice, specification, recommendation or information provided by illus illumination or its distributors.