















□≢ PRO

TABLE LUMINAIRE SERIES 2



BEYOND LIGHT..
TO THE LAST DETAILS!

AREAS OF APPLICATION





Hospitality

Shopping Center





Commercial

Educational Center




I TECHNICAL OPERATING & ELECTRICAL DATA

IP Rating	IP20
Maximum Waltage	1xMax.18W
Voltage	AC220-240V
Frequency	50/60Hz
Ambient Temperature	-20°~45°C
Mounting Type	Surface
Directional or Non Directional	Non Directional
Fixed or Adjustable	Fixed


SPECIFICATIONS

Code No.	Model No.	Body Color	Body Material	Lamp Holder Type	Dimensions
613009	ILTE27TL12	amber	glass	LED E27	Ø155x160mm
613010	ILTE27TL13	smoke glass	glass	LED E27	Ø155x160mm
613011	ILTE27TL14	smoke glass	glass	LED E27	Ø120x226mm
613018	ILTE27TL15	smoke glass	glass	LED E27	Ø111x250mm
613019	ILTE27TL16	red antique+copper	metal	LED E27	Ø80x85mm
613020	ILTE27TL17	silver	metal	LED E27	Ø80x85mm
613021	ILTE27TL18	black	metal	LED E27	Ø80x85mm
613022	ILTE27TL19	bronze	metal	LED E27	Ø80x85mm

DIMENSIONS



613009 - 613010 613011



613018 613019 - 613020 - 613021 - 613022

APPLICATION PICTURE



TABLE LUMINAIRE SERIES 2 BEYOND LIGHT..
TO THE LAST DETAILS!

