

SURFACE MOUNTED LUMINAIRE (PENDANT)



**BEYOND LIGHT..
TO THE LAST DETAILS!**

AREAS OF APPLICATION



Hospitality



Shopping Center



Commercial



Educational Center


TECHNICAL OPERATING & ELECTRICAL DATA

IP Rating	IP20
Body Material	Aluminum
Voltage	AC220-240V
Frequency	50/60HZ
Maximum Wattage	Max.9W
Lamp Holder Type	GU10
Directional or Non Directional	Non Directional
Fixed or Adjustable	Fixed
Cable Dimensions	GU10 0.5mm ² x80mm , cable 0.5mm ² x2200mm


SPECIFICATIONS

Code No.	Model No.	Body Color	Mounting Type	Dimensions	Mounting Box Dimensions
611535	ILSFSMPF01	white+black	surface mounted luminaire (pendant)	Ø68x165mm	Ø68x30mm
611536	ILSFSMPF01	black	surface mounted luminaire (pendant)	Ø68x165mm	Ø68x30mm
612037	ILSFSMPF03	white+black	pendant on ceiling	Ø70x165mm	Ø68x30mm
612038	ILSFSMPF03	black	pendant on ceiling	Ø70x165mm	Ø68x30mm

DIMENSIONS



611535 - 611536



612037 - 612038



611535 - 611536



612037 - 612038

APPLICATION PICTURE



This image is for display purpose only, the image may differ from the actual product, as the product is subject to modification provided without prior notice.

SURFACE MOUNTED LUMINAIRE (PENDANT)

**BEYOND LIGHT..
TO THE LAST DETAILS!**



Carrer de la Vall de la Ballestera, 64, 46015 València, Valencia, España, Tel: +34619824456

www.illusillumination.com

illus illumination reserve the right to make dimensional, design and technical alternations without prior notice. illus illumination endeavor to ensure that any advice, recommendation or information it provides in product literature is accurate and correct. However due to the fact that illus do not have direct control on where and how the products are installed, illus illumination cannot accept any liability either direct or indirect arising from the use of illus products whether or not in accordance with any advice, specification, recommendation or information provided by illus illumination or its distributors.

1192021V1