

LED PRO

The most cost-effective outdoor spot light with better efficient and performance

LED FLOOD LUMINAIRE SERIES 2

PRODUCT INFORMATION

- Designed to produce both general and accent lighting while concealing the body of the device.
- Extreme reliability and high level of resistance to adverse weather conditions.
- ILLUS LED FLOOD Luminaire gives the customer the flexibility to choose between 6 Models based on their specific need.

BENEFITS

- In stylish and very compact design.
- Effortless and flexible installation.
- Customizing for you.

FEATURES

- Operating voltage 220 – 240 V.
- Non – dimmable.



**BEYOND LIGHT..
TO THE LAST DETAILS!**

AREAS OF APPLICATION



Hospitality



Shopping Center



Commercial



Educational Center




TECHNICAL OPERATING & ELECTRICAL DATA

Body Color	Grey
IP Rating	IP65
CRI	80
Lumen	14500-19500lm/M+/-10%
Voltage	AC220-240V
Frequency	50/60Hz
Ambient Temperature	-20°C-35°C
Dimmable or Not	No
Beam Angle	110°
Life Span	30000h

SPECIFICATIONS

Code No.	Model No.	Power	Lumen	Efficacy	CCT	Light Color Designation	Dimensions
612406	ILS150FL830WW02	150W	14500lm	96.67	3000K	warm white	380x280x45mm
612407	ILS150FL840NW02	150W	14800lm	98.67	4000K	natural white	380x280x45mm
612408	ILS150FL857DL02	150W	15000lm	100.00	5700K	day light	380x280x45mm
612409	ILS200FL830WW01	200W	18500lm	92.50	3000K	warm white	380x280x45mm
612410	ILS200FL840NW01	200W	19300lm	96.50	4000K	natural white	380x280x45mm
612411	ILS200FL857DL01	200W	19500lm	97.50	5700K	day light	380x280x45mm

DIMENSIONS



APPLICATION PICTURE



This image is for display purpose only, the image may differ from the actual product, as the product is subject to modification provided without prior notice.

LED FLOOD LUMINAIRE SERIES 2

**BEYOND LIGHT..
TO THE LAST DETAILS!**



Carrer de la Vall de la Ballestera, 64, 46015 València, Valencia, España, Tel: +34619824456

www.illusillumination.com

illus illumination reserve the right to make dimensional, design and technical alternations without prior notice. illus illumination endeavor to ensure that any advice, recommendation or information it provides in product literature is accurate and correct. However due to the fact that illus do not have direct control on where and how the products are installed, illus illumination cannot accept any liability either direct or indirect arising from the use of illus products whether or not in accordance with any advice, specification, recommendation or information provided by illus illumination or its distributors.