



Full range recessed up-light to make your **space distinctive**

LED INGROUND LUMINAIRE SERIES

PRODUCT INFORMATION

- Provide a completed range of up-lights in terms of wattage, color temperature.
- Make your space distinctive with more safety and convenience as well.
- ILLUS LED INGROUND Luminaire gives the customer the flexibility to choose between 12 models based on their specific need with lumen package from 500 lm to 2682 lm.

BENEFITS

- Easy to opt.
- Quick installation.
- Robust design for severe conditions.

FEATURES

- High CRI>80.
- Efficacy up to 95 lm/w.
- Long life span 50,000 hrs.
- Operating voltage AC220 - 240V
- Non – dimmable.



**BEYOND LIGHT..
TO THE LAST DETAILS!**

AREAS OF APPLICATION



Commercial



Shopping Center



Educational center



TECHNICAL OPERATING & ELECTRICAL DATA

Input Voltage & Frequency	AC220-240V, 50/60Hz
Rated CRI	80
Color Temperature	3000K
Life Span	50.000h
Ingress Protection Rating	IP67
Dimming	Non-Dimmable

SPECIFICATIONS


Code No.	Model No.	Power	Lumen	Efficacy	Body Color	Body Material	Frame Color	Frame Material
612163	ILS7.5RMOIGL01	7.5W	715lm	95lm/w	Matt black	Aluminum	stainless steel	SS4/3
612164	ILS15RMOIGL01	15W	1338lm	89lm/w	Matt black	Aluminum	stainless steel	SS4/3
612165	ILS30RMOIGL01	30W	2682lm	89lm/w	Matt black	Aluminum	stainless steel	SS4/3
612166	ILS7.5RMOIGL02	7.5W	715lm	95lm/w	Matt black	Aluminum	stainless steel	SS4/3
612167	ILS15RMOIGL02	15W	1338lm	89lm/w	Matt black	Aluminum	stainless steel	SS4/3
612168	ILS30RMOIGL02	30W	2682lm	89lm/w	Matt black	Aluminum	stainless steel	SS4/3
612169	ILS7.5RMOIGL03	7.5W	500lm	66lm/w	Matt black	Aluminum	stainless steel	SS4/3
612170	ILS17RMOIGL01	17W	1385lm	81lm/w	Matt black	Aluminum	stainless steel	SS4/3
612171	ILS27.5RMOIGL01	27.5W	2437lm	88lm/w	Matt black	Aluminum	stainless steel	SS4/3
612172	ILS7.5RMOIGL04	7.5W	500lm	66lm/w	Matt black	Aluminum	stainless steel	SS4/3
612173	ILS17RMOIGL02	17W	1385lm	81lm/w	Matt black	Aluminum	stainless steel	SS4/3
612174	ILS27.5RMOIGL02	27.5W	2437lm	88lm/w	Matt black	Aluminum	stainless steel	SS4/3

DIMENSIONS


Code No.	Model No.	Diameter	Width	Length	Height
612163	ILS7.5RMOIGL01	150			119
612164	ILS15RMOIGL01	220			145
612165	ILS30RMOIGL01	260			154
612166	ILS7.5RMOIGL02		150	150	119
612167	ILS15RMOIGL02		220	220	145
612168	ILS30RMOIGL02		260	260	154
612169	ILS7.5RMOIGL03	150			119
612170	ILS17RMOIGL01	220			145
612171	ILS27.5RMOIGL01	260			154
612172	ILS7.5RMOIGL04		150	150	119
612173	ILS17RMOIGL02		220	220	145
612174	ILS27.5RMOIGL02		260	260	154

MOUNTING DIMENSIONS (CUTTING SIZE)


Code No.	Model No.	Diameter	Height
612163	ILS7.5RMOIGL01	135	110
612164	ILS15RMOIGL01	195	145
612165	ILS30RMOIGL01	235	150
612166	ILS7.5RMOIGL02	135	110
612167	ILS15RMOIGL02	195	145
612168	ILS30RMOIGL02	235	150
612169	ILS7.5RMOIGL03	135	110
612170	ILS17RMOIGL01	195	145
612171	ILS27.5RMOIGL01	235	150
612172	ILS7.5RMOIGL04	135	110
612173	ILS17RMOIGL02	195	145
612174	ILS27.5RMOIGL02	235	150



612163




612164




612165


DIMENSIONS




612166




612167




612168




612169




612170




612171



612172



612173



612174



This image is for display purpose only, the image may differ from the actual product, as the product is subject to modification provided without prior notice.

LED INGROUND LUMINAIRE SERIES

BEYOND LIGHT..
TO THE LAST DETAILS!

