



LED PRO

Simple & Flexible Solution

LED FLEXIBLE LINEAR LIGHT

PRODUCT INFORMATION

- Excellently anti-dust LED strips with professional design to guarantee lighting performance.
- It not only ensure high quality of lighting color consistency but also protect products against from harsh environments.
- ILLUS LED FLEXIBLE LINEAR Light gives the customer the flexibility to choose between 6 CCT based on their specific need with lumen package from 270 lm to 360 lm.

BENEFITS

- Vivid light color.
- Less maintenance cost and less concerns.

FEATURES

- High CRI>92.
- Operating voltage DC24V.



**BEYOND LIGHT..
TO THE LAST DETAILS!**

AREAS OF APPLICATION



Hospitality



Shopping Center



Commercial



Educational Center


TECHNICAL OPERATING & ELECTRICAL DATA

IP rating	IP67 for strip, silicon material
Power	9W/M
CRI	92
Lumen	from 270 to 360lm/M+/-10%
LED Quantity	126pcs/meter
Input	DC24V
Maximum Length	5M/Reel
Cutting Unit	50mm
Size	10x18mm
Packaging	Male & female DC connector, 5m/reel into a anti-static bag, 20 bags into a master carton

SPECIFICATIONS

Code No.	Model No.	IP	Power	Lumen	CCT
611919	ILS09LVNF922WW04	67	9W	270lm	2200K
611920	ILS09LVNF927WW04	67	9W	310lm	2700K
611921	ILS09LVNF930WW04	67	9W	330lm	3000K
611922	ILS09LVNF935WW04	67	9W	340lm	3500K
611923	ILS09LVNF940NW04	67	9W	350lm	4000K
611924	ILS09LVNF950DLO4	67	9W	360lm	5000K

DIMENSIONS






611919 - 611920 - 611921- 611922 - 611923 - 611924

ACCESSORIES

STRIP CONNECTOR
AVAILABLE AS AN ACCESSORY

Code No.	Model No.	IP	Power	Input	Output	Frequency	Dimensions
611962	ILSLVNFALMFCH08						10.8x30x18.3mm
611955	ILSLVNFALMFCH04						11.8x1000x20.3mm
611972	ILSLVNFALMFCH18						11x325x19mm
611973	ILSLVNFALMFCH19						11x625x19mm
611974	ILSLVNFALMFCH20						11x925x19mm
611982	ILSLVNF2HFC01						L=300mm
611948	ILS75W24VCG01	20	75W	AC220-240V	DC24V	50/60Hz	78x110x36mm
611949	ILS100W24VCG01	20	100W	AC220-240V	DC24V	50/60Hz	98x130x41mm
611950	ILS150W24VCG01	20	150W	AC220-240V	DC24V	50/60Hz	98x160x50mm




ACCESSORIES DIMENSIONS



611962





611955

611972 - 611973 - 611974



611982

611948



611949

611950

APPLICATION PICTURE



This image is for display purpose only, the image may differ from the actual product, as the product is subject to modification provided without prior notice.

LED FLEXIBLE LINEAR LIGHT

**BEYOND LIGHT..
TO THE LAST DETAILS!**



Carrer de la Vall de la Ballestera, 64, 46015 València, Valencia, España, Tel: +34619824456

www.illusillumination.com

illus illumination reserve the right to make dimensional, design and technical alternations without prior notice. illus illumination endeavor to ensure that any advice, recommendation or information it provides in product literature is accurate and correct. However due to the fact that illus do not have direct control on where and how the products are installed, illus illumination cannot accept any liability either direct or indirect arising from the use of illus products whether or not in accordance with any advice, specification, recommendation or information provided by illus illumination or its distributors.