

AREAS OF APPLICATION



Hospitality



Shopping Center



Commercial



Educational Center


TECHNICAL OPERATING & ELECTRICAL DATA

IP Rating	IP20
Power	16W/M
LED Quantity	168pcs/meter
Lumen	from 1050-1680lm/M+/-10%
Input	DC24V
Maximum Length	5M/Reel
Cutting Unit	Each 7 led per cut (cutting space 4.1cm)
FPCB Size	10x1.2mm (3OZ)
Packging	Male & female DC connector, 5m/reel into a anti-static bag, 20 bags into a master carton
Other Features	Use with aluminum profile is recommended.

SPECIFICATIONS

Code No.	Model No.	Lumen	CRI	CCT
611873	ILS16LVST918WW01	1050lm	95	1800K
611874	ILS16LVST922WW01	1350lm	95	2200K
611875	ILS16LVST927WW01	1500lm	95	2700K
611876	ILS16LVST930WW01	1600lm	95	3000K
611877	ILS16LVST935WW01	1620lm	95	3500K
611878	ILS16LVST940NW01	1640lm	95	4000K
611879	ILS16LVST950DL01	1680lm	95	5000K

DIMENSIONS






611873 - 611874 - 611875 - 611876 - 611877 - 611878 - 611879

ACCESSORIES

LED FLEXIBLE LINEAR LIGHT CONNECTOR
AVAILABLE AS AN ACCESSORY



Code No.	Model No.	IP	Power	Input	Output	Frequency	Dimensions
611944	ILSLVRFDIMMCD01	20	144W	DC24V	DC24V	433.92Hz	40x85x6mm
611948	ILS75W24VCG01	20	75W	AC220-240V	DC24V	50/60Hz	78x110x36mm
611949	ILS100W24VCG01	20	100W	AC220-240V	DC24V	50/60Hz	98x130x41mm
611950	ILS150W24VCG01	20	150W	AC220-240V	DC24V	50/60Hz	98x160x50mm

ACCESSORIES DIMENSIONS





611944

611948



611949



611950

APPLICATION PICTURE



This image is for display purpose only, the image may differ from the actual product, as the product is subject to modification provided without prior notice.

LED FLEXIBLE LINEAR LIGHT

**BEYOND LIGHT..
TO THE LAST DETAILS!**



Carrer de la Vall de la Ballestera, 64, 46015 València, Valencia, España, Tel: +34619824456

www.illusillumination.com

illus illumination reserve the right to make dimensional, design and technical alternations without prior notice. illus illumination endeavor to ensure that any advice, recommendation or information it provides in product literature is accurate and correct. However due to the fact that illus do not have direct control on where and how the products are installed, illus illumination cannot accept any liability either direct or indirect arising from the use of illus products whether or not in accordance with any advice, specification, recommendation or information provided by illus illumination or its distributors.