



**LED PRO**

## Simple & Flexible Solution

### LED FLEXIBLE LINEAR LIGHT

#### **PRODUCT INFORMATION**

- Excellently anti-dust LED strips with professional design to guarantee lighting performance.
- It not only ensure high quality of lighting color consistency but also protect products against from harsh environments.
- ILLUS LED FLEXIBLE LINEAR Light gives the customer the flexibility to choose between 6 CCT based on their specific need with lumen package from 320 lm to 420 lm.

#### **BENEFITS**

- Vivid light color.
- Less maintenance cost and less concerns.

#### **FEATURES**

- High CRI>92.
- Operating voltage DC24V.



**BEYOND LIGHT..  
TO THE LAST DETAILS!**

## AREAS OF APPLICATION



Hospitality



Shopping Center



Commercial



Educational Center


## TECHNICAL OPERATING & ELECTRICAL DATA

IP Rating	IP67 for strip, Silicon material
Power	9W/M
Lumen	from 320-420lm/M+/-10%
LED Quantity	126pcs/meter
Input	DC24V
Maximum Length	5M/Reel
Cutting Unit	50mm
Size	6x10mm
Packaging	Male & female DC connector, 5m/reel into a anti-static bag, 20 bags into a master carton

## SPECIFICATIONS

Code No.	Model No.	Lumen	CRI	CCT
611896	ILS09LVNF922WW01	320lm	92	2200K
611897	ILS09LVNF927WW01	370lm	92	2700K
611898	ILS09LVNF930WW01	390lm	92	3000K
611899	ILS09LVNF935WW01	400lm	92	3500K
611900	ILS09LVNF940NW01	410lm	92	4000K
611901	ILS09LVNF950DL01	420lm	92	5000K

## DIMENSIONS





611896 - 611897 - 611898- 611899 - 611900 - 611901

## ACCESSORIES

LED FLEXIBLE LINEAR LIGHT CONNECTOR  
AVAILABLE AS AN ACCESSORY




Code No.	Model No.	IP	Power	Input	Output	Frequency	Dimensions
611959	ILSLVNFALMFCH05						7.1x30x11.8mm
611963	ILSLVNFALMFCH09						6.8x308x12mm
611964	ILSLVNFALMFCH10						6.8x596x12mm
611965	ILSLVNFALMFCH11						6.8x886x12mm
611979	ILSLVNF2HFC01						L=300mm
611948	ILS75W24VCG01	20	75W	AC220-240V	DC24V	50/60Hz	78x110x36mm
611949	ILS100W24VCG01	20	100W	AC220-240V	DC24V	50/60Hz	98x130x41mm
611950	ILS150W24VCG01	20	150W	AC220-240V	DC24V	50/60Hz	98x160x50mm

# ACCESSORIES DIMENSIONS







611959

611963 - 611964 - 611965




611979

611948



611949

611950



This image is for display purpose only, the image may differ from the actual product, as the product is subject to modification provided without prior notice.

**LED  
FLEXIBLE  
LINEAR LIGHT**

**BEYOND LIGHT..  
TO THE LAST DETAILS!**

