

**■**≢ PRO

# Simple & Flexible Solution

## LED FLEXIBLE LINEAR LIGHT

#### | PRODUCT INFORMATION

- Excellently anti-dust LED strips with professional design to guarantee lighting performance.
- It not only ensure high quality of lighting color consistency but also protect products against from harsh environments.
- ILLUS LED FLEXIBLE LINEAR Light gives the customer the flexibility to choose between 7 CCT based on their specific need with lumen package from 400 lm to 690 lm.

#### **BENEFITS**

- Vivid light color.
- Less maintenance cost and less concerns.

#### **FEATURES**

- High CRI>95.
- Operating voltage DC24V.



#### **AREAS OF APPLICATION**





Hospitality

Shopping Center





Commercial

Educational Center


#### **TECHNICAL OPERATING & ELECTRICAL DATA**

IP Rating	IP67
Power	10W/M
Lumen	from 400 to 690lm/M+/-10%
LED Quantity	384pcs/meter
Input	DC24V
Maximum Length	5M/Reel (Max connection L=5M)
Cutting Unit	41.67mm per cut
FPC Board	8mm
Copper Thickness	35um+35um (30Z)
Tape	3M adhesive tape at back of strip
Packging	5m/roll with 15cm male & female DC connector into a anti-static bag, then 40 bags into a master carton

#### **SPECIFICATIONS**

Code No.	Model No.	Lumen	CRI	CCT
612504	ILS10LVST918WW06	400lm	95	1800K
612505	ILS10LVST922WW06	500lm	95	2200K
612506	ILS10LVST927WW06	600lm	95	2700K
612507	ILS10LVST930WW06	630lm	95	3000K
612508	ILS10LVST935WW06	660lm	95	3500K
612509	ILS10LVST940NW06	670lm	95	4000K
612510	ILS10LVST950DL06	690lm	95	5000K

#### **DIMENSIONS**





612504 - 612505 - 612506 - 612507 - 612508 - 612509 - 612510


ACCESSORIES
LED FLEXIBLE LINEAR LIGHT CONNECTOR
AVAILABLE AS AN ACCESSORY


Code No.	Model No.	IP	Power	Input	Output	Frequency	Dimensions
611948	ILS75W24VCG01	20	75W	AC220-240V	DC24V	50/60Hz	78x110x36mm
611949	ILS100W24VCG01	20	100W	AC220-240V	DC24V	50/60Hz	98x130x41mm
611950	ILS150W24VCG01	20	150W	AC220-240V	DC24V	50/60Hz	98x160x50mm

### **ACCESSORIES DIMENSIONS**












611948 611949





#### **APPLICATION PICTURE**



LED FLEXIBLE LINEAR LIGHT

BEYOND LIGHT..
TO THE LAST DETAILS!

