



LED **PRO**

The classic light bulb

LED NON – DIRECTIONAL LAMP SERIES

PRODUCT INFORMATION

- Combines the familiar shapes of classic incandescent bulbs with long lasting LED technology.
- Delivers beautiful warm white light while saving energy costs compared with traditional light bulbs.
- ILLUS LED NON – DIRECTIONAL Lamp gives the customer the flexibility to choose between 6 models based on their specific need with lumen package from 460 lm to 840 lm.

BENEFITS

- Very long lifetime that reduces the need for replacement.
- Easy replacement of classic conventional lamps.

FEATURES

- High CRI>92.
- Efficacy up to 135 lm/w.
- Long life span 15,000 hrs.
- Operating voltage 100 – 240V.
- Non – dimmable.



**BEYOND LIGHT..
TO THE LAST DETAILS!**

AREAS OF APPLICATION



Hospitality



Shopping Center



Commercial



Educational Center




TECHNICAL OPERATING & ELECTRICAL DATA

IP rating	IP20
CRI	92
Body Color	White
Body Material	Plastic
Lumen	from 460 to 840lm/M+/-10%
Voltage	AC100-240V
Frequency	50/60Hz
Lamp Holder Type	E27
Beam Angle	150°
Dimmable or not	Non-Dimming
Directional or Non Directional	Non-Directional
Fixed or Adjustable	Fixed
Life span	15,000hrs

SPECIFICATIONS

Code No.	Model No.	Power	Lumen	Efficacy	CCT	Dimensions
612812	ILS4.5G45E27L930WW01	4.5W	460lm	102.22lm/W	3000K	Ø45x77mm
612813	ILS4.5G45E27L940NW01	4.5W	470lm	104.44lm/W	4000K	Ø45x77mm
612814	ILS4.5G45E27L950DL01	4.5W	480lm	106.67lm/W	5000K	Ø45x77mm
612815	ILS6.2G45E27L930WW01	6.2W	820lm	132.26lm/W	3000K	Ø45x77mm
612816	ILS6.2G45E27L940NW01	6.2W	830lm	133.87lm/W	4000K	Ø45x77mm
612817	ILS6.2G45E27L950DL01	6.2W	840lm	135.48lm/W	5000K	Ø45x77mm

I DIMENSIONS



612812 - 612813 - 612814 - 612815 - 612816 - 612817

APPLICATION PICTURE



This image is for display purpose only, the image may differ from the actual product, as the product is subject to modification provided without prior notice.

LED NON – DIRECTIONAL LAMP SERIES

**BEYOND LIGHT..
TO THE LAST DETAILS!**

