

PRO

# The classic light bulb

# LED NON – DIRECTIONAL LAMP SERIES

#### PRODUCT INFORMATION

- Combines the familiar shapes of classic incandescent bulbs with long lasting LED technology.
- Delivers beautiful warm white light while saving energy costs compared with traditional light bulbs.
- ILLUS LED NON DIRECTIONAL Lamp gives the customer the flexibility to choose between 6 models based on their specific need with lumen package from 450 lm to 840 lm.

#### **BENEFITS**

- Very long lifetime that reduces the need for replacement.
- Easy replacement of classic conventional lamps.

#### **FEATURES**

- High CRI>92.
- Efficacy up to 135 lm/w.
- Long life span 15,000 hrs.
- Operating voltage 100 240V.
- Non dimmable.



# **AREAS OF APPLICATION**





Hospitality

Shopping Center





Commercial

Educational Center




# I TECHNICAL OPERATING & ELECTRICAL DATA

IP rating	IP20
CRI	92
Body Color	White
Body Material	Plastic
Lumen	from 450 to 840lm/M+/-10%
Voltage	AC100-240V
Frequency	50/60Hz
Lamp Holder Type	E14
Beam Angle	250°
Dimmable or not	Non-Dimming
Directional or Non Directional	Non-Directional
Fixed or Adjustable	Fixed
Life span	15,000hrs

# **SPECIFICATIONS**


Code No.	Model No.	Power	Lumen	Efficacy	CCT	Dimensions
612806	ILS4.5C35E14L930WW01	4.5W	450lm	100lm/W	3000K	Ø35x103mm
612807	ILS4.5C35E14L940NW01	4.5W	460lm	102.22lm/W	4000K	Ø35x103mm
612808	ILS4.5C35E14L950DL01	4.5W	470lm	104.44lm/W	5000K	Ø35x103mm
612809	ILS6.2C35E14L930WW01	6.2W	820lm	132.26lm/W	3000K	Ø35x103mm
612810	ILS6.2C35E14L940NW01	6.2W	830lm	133.87lm/W	4000K	Ø35x103mm
612811	ILS6.2C35E14L950DL01	6.2W	840lm	135.48lm/W	5000K	Ø35x103mm

# **DIMENSIONS**



612806 - 612807 - 612808 - 612809 - 612810 - 612811

#### **APPLICATION PICTURE**



LED NON – DIRECTIONAL LAMP SERIES

BEYOND LIGHT..
TO THE LAST DETAILS!

