PRO

Simple & Flexible Solution

LED FLEXIBLE LINEAR LIGHT

PRODUCT INFORMATION

- Excellently anti-dust LED strips with professional design to guarantee lighting performance.
- It not only ensure high quality of lighting color consistency but also protect products against from harsh environments.

BENEFITS

- Vivid light color.
- Less maintenance cost and less concerns.

FEATURES

- High CRI>92.
- Operating voltage DC24V.



BEYOND LIGHT.. TO THE LAST DETAILS!

AREAS OF APPLICATION





Shopping Center



Educational Center


I TECHNICAL OPERATING & ELECTRICAL DATA

IP Rating	IP67 for strip, Silicon material
Power	9W/M
LED Quantity	120pcs/meter
Lumen	700lm/M+/-10%
Input	DC24V
Maximum Length	5M/Reel
Cutting Unit	50mm
Size	10x10mm
Packging	Male & female DC connector, 5m/reel into a anti-static bag, 20 bags into a master carton

SPECIFICATIONS

Code No.	Model No.	Lumen	CRI	ССТ
611916	ILS09LVNF92250TN01	700lm	92	2200K/5000K

DIMENSIONS




611916

ACCESSORIES LED FLEXIBLE LINEAR LIGHT CONNECTOR AVAILABLE AS AN ACCESSORY

Code No.	Model No.	IP	Power	Input	Output	Frequency	Dimensions
611961	ILSLVNFALMFCH07						10.8x30x10.8mm
611954	ILSLVNFALMFCH03						11.7x1000x12.2mm
611969	ILSLVNFALMFCH15						10.8x308x11.1mm
611970	ILSLVNFALMFCH16						10.8x596x11.1mm
611971	ILSLVNFALMFCH17						10.8x886x11.1mm
611983	ILSLVNF2HFC01						L=300mm
611948	ILS75W24VCG01	20	75W	AC220-240V	DC24V	50/60Hz	78x110x36mm
611949	ILS100W24VCG01	20	100W	AC220-240V	DC24V	50/60Hz	98x130x41mm
611950	ILS150W24VCG01	20	150W	AC220-240V	DC24V	50/60Hz	98x160x50mm

ACCESSORIES DIMENSIONS





LED FLEXIBLE LINEAR LIGHT

BEYOND LIGHT.. TO THE LAST DETAILS!



Carrer de la Vall de la Ballestera, 64, 46015 València, Valencia, España, Tel: +34619824456

www.illusillumination.com

1192021V.1

illus illumination reserve the right to make dimensional, design and technical alternations without prior notice. illus illumination endeavor to ensure that any advice, recommendation or information it provides in product literature is accurate and correct. However due to the fact that illus do not have direct control on where and how the products are installed, illus illumination cannot accept any liability either direct or indirect arising from the use of illus products whether or not in accordance with any advice, specification, recommendation or information provided by illus illumination or its distributors.