



**LED PRO**

## Simple & Flexible Solution

### LED FLEXIBLE LINEAR LIGHT

#### PRODUCT INFORMATION

- Excellently anti-dust LED strips with professional design to guarantee lighting performance.
- It not only ensure high quality of lighting color consistency but also protect products against from harsh environments.

#### BENEFITS

- Vivid light color.
- Less maintenance cost and less concerns.

#### FEATURES

- High CRI>90.
- Operating voltage DC24V.



**BEYOND LIGHT..  
TO THE LAST DETAILS!**

## AREAS OF APPLICATION



Hospitality



Shopping Center



Commercial



Educational Center


## TECHNICAL OPERATING & ELECTRICAL DATA

IP Rating	IP67
Power	10W
LED Quantity	60pcs/meter
Lumen	170lm/M (for white color)
PCB	Double PCB whole thickness 0.25mm, white color, 12mm, copper thickness 25um x 3pcs (3OZ)
Chip Size	5.0x5.0x1.2mm
L70	>20000H
Input	DC24V
Maximum Length	5M/Reel
Cutting Unit	Each 6 led is cuttable (cutting space 10cm)
Packging	Male & female DC connector, 5m/reel into a anti-static bag, 20 bags into a master carton

## SPECIFICATIONS

Code No.	Model No.	Lumen	CRI	CCT
611894	ILS10LVST930RGB02	170lm	90	RGB/3000K

## DIMENSIONS





611894

## ACCESSORIES

LED FLEXIBLE LINEAR LIGHT CONNECTOR  
AVAILABLE AS AN ACCESSORY



Code No.	Model No.	IP	Power	Input	Output	Frequency	Dimensions
611947	ILSLVRFRGBWCD01	20	144W	DC24V	DC24V	433.92Hz	40x85x6mm
611948	ILS75W24VCG01	20	75W	AC220-240V	DC24V	50/60Hz	78x110x36mm
611949	ILS100W24VCG01	20	100W	AC220-240V	DC24V	50/60Hz	98x130x41mm
611950	ILS150W24VCG01	20	150W	AC220-240V	DC24V	50/60Hz	98x160x50mm

## ACCESSORIES DIMENSIONS



611947


611948



611949

611950

## APPLICATION PICTURE



This image is for display purpose only, the image may differ from the actual product, as the product is subject to modification provided without prior notice.

## LED FLEXIBLE LINEAR LIGHT

**BEYOND LIGHT..  
TO THE LAST DETAILS!**



Carrer de la Vall de la Ballestera, 64, 46015 València, Valencia, España, Tel: +34619824456

[www.illusillumination.com](http://www.illusillumination.com)

illus illumination reserve the right to make dimensional, design and technical alternations without prior notice. illus illumination endeavor to ensure that any advice, recommendation or information it provides in product literature is accurate and correct. However due to the fact that illus do not have direct control on where and how the products are installed, illus illumination cannot accept any liability either direct or indirect arising from the use of illus products whether or not in accordance with any advice, specification, recommendation or information provided by illus illumination or its distributors.