

Full range recessed up-light to make your space distinctive

LED INGROUND LUMINAIRE SERIES

PRODUCT INFORMATION

- Provide a completed range of up-lights of wattage, color temperature.
- Make your space distinctive with more safety and convenience as well.
- ILLUS LED INGROUND Luminaire gives the customer the flexibility to choose between 3 models based on their specific need with lumen package from 13 lm to 40 lm.

BENEFITS

- Easy to opt.
- Quick installation.
- Robust design for severe conditions.

FEATURES

- High CRI>80.
- Efficacy up to 4 lm/w.
- Long life span 30,000 hrs.
- Operating voltage 100 240 V.
- Non dimmable.



AREAS OF APPLICATION



Shopping Center



Educational center

I TECHNICAL OPERATING & ELECTRICAL DATA

Input Voltage & Frequency	AC100-240V, 50/60Hz
Rated CRI	80
Color Temperature	3000K
Life Span	30.000h
Ingress Protection Rating	IP65,67
Dimming	Non-Dimmable

SPECIFICATIONS

Code No.	Model No.	Power	Body Color
521301	ILS3.5RMOIGL01	3.5W	Black
521302	ILS06RM0IGL01	6W	Black
521303	ILS10.5RMOIGL01	10.5W	Black


DIMENSIONS


Code No.	Model No.	Diameter	Height
521301	ILS3.5RMOIGL01	150	135
521302	ILS06RM0IGL01	150	135
521303	ILS10.5RM0IGL01	150	135


MOUNTING DIMENSIONS


(CUTTING SIZE)

Code No.	Model No.	Diameter	Height
521301	ILS3.5RMOIGL01	139	110
521302	ILS06RM0IGL01	139	110
521303	ILS10.5RM0IGL01	139	110










521301

521303

APPLICATION PICTURE



LED INGROUND LUMINAIRE SERIES

BEYOND LIGHT.. TO THE LAST DETAILS!



Carrer de la Vall de la Ballestera, 64, 46015 València, Valencia, España, Tel: +34619824456

www.illusillumination.com

08122021V.1

Illus illumination reserve the right to make dimensional, design and technical alternations without prior notice. illus illumination endeavor to ensure that any advice, recommendation or information it provides in produ literature is accurate and correct. However due to the fact that illus do not have direct control on where and how the products are installed, illus illumination cannot accept any liability either direct or indirect arising from the use of illus products whether or not in accordance with any advice, specification, recommendation or information provided by illus illumination or its distributors.