

Full range recessed up-light to make your **space distinctive**

LED INGROUND LUMINAIRE SERIES

PRODUCT INFORMATION

- Provide a completed range of up-lights of wattage, color temperature.
- Make your space distinctive with more safety and convenience as well.
- ILLUS LED INGROUND Luminaire gives the customer the flexibility to choose between 5 models based on their specific need with lumen package from 15 lm to 80 lm.

BENEFITS

- Easy to opt.
- Quick installation.
- Robust design for severe conditions.

FEATURES

- High CRI>80.
- Efficacy up to 32 lm/w.
- Long life span 30,000 hrs.
- Operating voltage 100 – 240 V.
- Non – dimmable.



**BEYOND LIGHT..
TO THE LAST DETAILS!**

AREAS OF APPLICATION



Commercial



Shopping Center



Educational center



Garden

TECHNICAL OPERATING & ELECTRICAL DATA

Input Voltage & Frequency	AC100-240V, 50/60Hz
Rated CRI	80
Color Temperature	3000K,5700K
Life Span	30.000h
Ingress Protection Rating	IP67
Dimming	Non-Dimmable

SPECIFICATIONS

Code No.	Model No.	Power	Body Color
521202	ILS2.5RMOIGL02	2.5W	Silver
521203	ILS2.5RMOIGL03	2.5W	Silver
521231	ILS2.5RMOIGL05	2.5W	Silver
521232	ILS2.5RMOIGL06	2.5W	Silver
521236	ILS2.5RMOIGL09	2.5W	Silver

DIMENSIONS

Code No.	Model No.	Diameter	Height
521202	ILS2.5RMOIGL02	55	100
521203	ILS2.5RMOIGL03	55	100
521231	ILS2.5RMOIGL05	55	100
521232	ILS2.5RMOIGL06	55	100
521236	ILS2.5RMOIGL09	55	100

MOUNTING DIMENSIONS


(CUTTING SIZE)

Code No.	Model No.	Diameter
521202	ILS2.5RMOIGL02	46
521203	ILS2.5RMOIGL03	46
521231	ILS2.5RMOIGL05	46
521232	ILS2.5RMOIGL06	46
521236	ILS2.5RMOIGL09	46


illus

illumination

DIMENSIONS




521202



521203, 521231, 521232, 521236

APPLICATION PICTURE



This image is for display purpose only, the image may differ from the actual product, as the product is subject to modification provided without prior notice.

LED INGROUND LUMINAIRE SERIES

**BEYOND LIGHT..
TO THE LAST DETAILS!**



Carrer de la Vall de la Ballestera, 64, 46015 València, Valencia, España, Tel: +34619824456

www.illusillumination.com

illus illumination reserve the right to make dimensional, design and technical alternations without prior notice. illus illumination endeavor to ensure that any advice, recommendation or information it provides in product literature is accurate and correct. However due to the fact that illus do not have direct control on where and how the products are installed, illus illumination cannot accept any liability either direct or indirect arising from the use of illus products whether or not in accordance with any advice, specification, recommendation or information provided by illus illumination or its distributors.