

Make your boundaries stand out

LED WALL-MOUNTED LUMINAIRE SERIES

PRODUCT INFORMATION

- Surface mounted, exterior-rated and compact sized arhitectural LED edge lighting luminaire that is designed for façade and outdoor decorative lighting applications.
- Ideal for edges lighting on windows and doors inner frames, building façades, landmarks and monuments.
- ILLUS LED WALL MOUNTED Luminaire gives the customer the flexibility to choose between 3 models based on their specific need with lumen package from 240 lm to 650 lm.

BENEFITS

- Unique optical distribution to highlight the inner frame or outer edges of windows, balconies or doors.
- Compact size.
- Light weight.

FEATURES

- High CRI>80.
- Efficacy up to 108 lm/w.
- Long life span 30,000 hrs.
- Operating voltage 100 240 V.
- Non dimmable.



AREAS OF APPLICATION











Commercial

l Shopping Center

Educational center

Garden

I TECHNICAL OPERATING & ELECTRICAL DATA


Input Voltage & Frequency	AC100-240V, 50/60Hz	
Rated CRI	80	
Color Temperature	3000K	
Life Span	30.000h	
Ingress Protection Rating	IP54,65	
Dimming	Non-Dimmable	


SPECIFICATIONS

Code No.	Model No.	Power	Body Color	Lumen	Efficacy
521242	ILS6WLWW04	6W	Black	650	108
521263	ILS6WLWW20	6W	White	650	108
521262	ILS4WLWW01	4W	Dark gray	240	60

DIMENSIONS

Code No.	Model No.	Diameter	Height	Length	Width
521242	ILS6WLWW04		148	252	76
521263	ILS6WLWW20		148	252	76
521262	ILS4WLWW01		50	110	110






521262

521242, 521263



APPLICATION PICTURE



LED WALL-MOUNTED LUMINAIRE SERIES

BEYOND LIGHT..
TO THE LAST DETAILS!

