



LED PRO

When You Master The Light

LED GU10 ALUMINUM SERIES

PRODUCT INFORMATION

- LED spots GU10 are a perfect fit for spot lighting and deliver warm halogen light.
- Deliver significant energy savings and minimize maintenance cost.
- ILLUS LED GU10 lamp gives the customer the flexibility to choose between 4 CCT & 4 different beam angle Based on their specific need with lumen package from 360 lm to 560 lm.

BENEFITS

- Variety of beam angles.
- Up to %80 energy saving compared with halogen lamps.
- Lower maintenance costs.
- Longer Life Time.

FEATURES

- High CRI>95.
- Efficacy up to 80 lm/w.
- Long life span 40,000h
- Operating voltage 220 – 240 V.
- Dimmable.
- UV – IR – free light.



**BEYOND LIGHT..
TO THE LAST DETAILS!**

AREAS OF APPLICATION



Hospitality



Public indoor



Shopping Center



Commercial



Workplace



Educational center



TECHNICAL OPERATING & ELECTRICAL DATA


Input Voltage & Frequency	AC220-240V, 50/60Hz
Rated CRI	95
Life Span	40,000h
Displacement Factor	0.9
Ingress Protection Rating	IP20
Dimming	Dimmable
Ambient Temperature	-20°~+45° C
Switching Cycle ON/OFF	100,000
Protection Class	Class II

SPECIFICATIONS







Code No.	Model No.	Power	Beam Angle	CCT	Lumen	Efficacy	Current
612546	ILS7D10GU10L927WW01	7W	10°	2700k	360lm	51lm/w	38mA
612547	ILS7D10GU10L930WW01	7W	10°	3000k	380lm	54lm/w	38mA
612548	ILS7D10GU10L940NW01	7W	10°	4000k	400lm	57lm/w	38mA
612549	ILS7D10GU10L950DL01	7W	10°	5000k	410lm	59lm/w	38mA
612550	ILS7D24GU10L927WW01	7W	24°	2700K	470lm	67lm/w	38mA
612551	ILS7D24GU10L930WW01	7W	24°	3000K	500lm	71lm/w	38mA
612552	ILS7D24GU10L940NW01	7W	24°	4000K	540lm	77lm/w	38mA
612553	ILS7D24GU10L950DL01	7W	24°	5000K	560lm	80lm/w	38mA
612554	ILS7D36GU10L927WW01	7W	36°	2700K	460lm	66lm/w	38mA
612555	ILS7D36GU10L930WW01	7W	36°	3000K	490lm	70lm/w	38mA
612556	ILS7D36GU10L940NW01	7W	36°	4000K	530lm	76lm/w	38mA
612557	ILS7D36GU10L950DL01	7W	36°	5000K	550lm	79lm/w	38mA
612558	ILS7D60GU10L927WW01	7W	60°	2700K	440lm	63lm/w	38mA
612559	ILS7D60GU10L930WW01	7W	60°	3000K	460lm	66lm/w	38mA
612560	ILS7D60GU10L940NW01	7W	60°	4000K	500lm	71lm/w	38mA
612561	ILS7D60GU10L950DL01	7W	60°	5000K	530lm	76lm/w	38mA

DIMENSIONS











Code No.	Model No.	Dimensions
612546	ILS7D10GU10L927WW01	50x56mm
612547	ILS7D10GU10L930WW01	50x56mm
612548	ILS7D10GU10L940NW01	50x56mm
612549	ILS7D10GU10L950DL01	50x56mm
612550	ILS7D24GU10L927WW01	50x56mm
612551	ILS7D24GU10L930WW01	50x56mm
612552	ILS7D24GU10L940NW01	50x56mm
612553	ILS7D24GU10L950DL01	50x56mm
612554	ILS7D36GU10L927WW01	50x56mm
612555	ILS7D36GU10L930WW01	50x56mm
612556	ILS7D36GU10L940NW01	50x56mm
612557	ILS7D36GU10L950DL01	50x56mm
612558	ILS7D60GU10L927WW01	50x56mm
612559	ILS7D60GU10L930WW01	50x56mm
612560	ILS7D60GU10L940NW01	50x56mm
612561	ILS7D60GU10L950DL01	50x56mm



PHOTOMETRIC DATA



PHOTOMETRIC DATA



APPLICATION PICTURE



This image is for display purpose only, the image may differ from the actual product, as the product is subject to modification provided without prior notice.

LED GU10 ALUMINUM SERIES

**BEYOND LIGHT..
TO THE LAST DETAILS!**



Carrer de la Vall de la Ballestera, 64, 46015 València, Valencia, España, Tel: +34619824456

www.illusillumination.com

illus illumination reserve the right to make dimensional, design and technical alternations without prior notice. illus illumination endeavor to ensure that any advice, recommendation or information it provides in product literature is accurate and correct. However due to the fact that illus do not have direct control on where and how the products are installed, illus illumination cannot accept any liability either direct or indirect arising from the use of illus products whether or not in accordance with any advice, specification, recommendation or information provided by illus illumination or its distributors.

09092021V1