



LED PRO

**PENDANT
LUMINAIRE
SERIES**

ilict

**BEYOND LIGHT..
TO THE LAST DETAILS!**

AREAS OF APPLICATION



Hospitality



Shopping Center



Commercial



Educational Center





TECHNICAL OPERATING & ELECTRICAL DATA

IP Rating	IP20
Voltage	AC220-240V
Frequency	50/60Hz
Mounting Type	Surface-Mounted on Ceiling
Ambient Temperature	20°C
Dimmable or Not	Not
Fixed or Adjustable	Fixed

SPECIFICATIONS

Code No.	Model No.	Max. Wattage	Body Color	Body Material	Lamp Holder Type
661255	ILTACSPLO1	18W	copper	iron+acrylic	E27
661256	ILTACSPLO2	18W	silver	iron+acrylic	E27
661257	ILTACSPLO3	18W	gold	iron+acrylic	E27
661258	ILTACSPLO4	18W	gold	iron+acrylic	E27
661259	ILTACSPLO5	18W	copper	iron+acrylic	E27
661260	ILTACSPLO6	18W	silver	iron+acrylic	E27

I DIMENSIONS



661255 - 661256 - 661257

661258 - 661259 - 661260

APPLICATION PICTURE



This image is for display purpose only, the image may differ from the actual product, as the product is subject to modification provided without prior notice.

PENDANT LUMINAIRE SERIES

**BEYOND LIGHT..
TO THE LAST DETAILS!**

ilict

Carrer de la Vall de la Ballestera, 64, 46015 València, Valencia, España, Tel: +34619824456

www.illusillumination.com

illus illumination reserve the right to make dimensional, design and technical alternations without prior notice. illus illumination endeavor to ensure that any advice, recommendation or information it provides in product literature is accurate and correct. However due to the fact that illus do not have direct control on where and how the products are installed, illus illumination cannot accept any liability either direct or indirect arising from the use of illus products whether or not in accordance with any advice, specification, recommendation or information provided by illus illumination or its distributors.

1192021M1