



3 WIRES SURFACE MOUNTED TRACK LIGHT



**BEYOND LIGHT..
TO THE LAST DETAILS!**

AREAS OF APPLICATION



Hospitality



Shopping Center



Commercial



Educational Center




TECHNICAL OPERATING & ELECTRICAL DATA

IP Rating	IP20
Voltage	AC220-240V
Frequency	50/60Hz
Mounting Type	Surface Mounted
Ambient Temperature	-20°C~45°C
Fixed or Adjustable	Fixed


SPECIFICATIONS

Code No.	Model No.	Current Capacity	Body Color	Body Material
613439	ILS1M3SWTRK02	Max.10A	matt white	aluminum
613440	ILS1M3S2BTRK02	Max.10A	matt black	aluminum
613441	ILS2M3SWTRK02	Max.10A	matt white	aluminum
613442	ILS2M3SBTRK02	Max.10A	matt black	aluminum

DIMENSIONS



613439 - 613440




613441 - 613442


ACCESSORIES

Code No.	Model No.	Current Capacity	Body Color	Body Material
613443	ILSTRK3ISCW02	Max.10A	matt white	PC+copper
613444	ILSTRK3ISCB02	Max.10A	matt black	PC+copper
613445	ILSTRK3LSCW02	Max.10A	matt white	PC+copper
613446	ILSTRK3LSCB02	Max.10A	matt black	PC+copper
613447	ILSTRK3TSCW02	Max.10A	matt white	PC+copper
613448	ILSTRK3TSCB02	Max.10A	matt black	PC+copper
613449	ILSTRK3XSCW02	Max.10A	matt white	PC+copper
613450	ILSTRK3XSCB02	Max.10A	matt black	PC+copper


ACCESSORIES DIMENSIONS




613443 - 613444



613445 - 613446




613447 - 613448



613449 - 613450

APPLICATION PICTURE



This image is for display purpose only, the image may differ from the actual product, as the product is subject to modification provided without prior notice.

3 WIRES SURFACE MOUNTED TRACK LIGHT

**BEYOND LIGHT..
TO THE LAST DETAILS!**

