

□ PRO

The classic light bulb

LED NON - DIRECTIONAL LAMP SERIES

PRODUCT INFORMATION

- Combines the familiar shapes of classic incandescent bulbs with long lasting LED technology.
- Delivers beautiful warm white light while saving energy costs compared with traditional light bulbs.
- ILLUS LED NON DIRECTIONAL Lamp gives the customer the flexibility to choose between 9 models based on their specific need with lumen package from 800 lm to 1530 lm.

BENEFITS

- Very long lifetime that reduces the need for replacement.
- Easy replacement of classic conventional lamps.

FEATURES

- High CRI>92.
- Efficacy up to 139lm/w.
- Long life span 15000 hrs.
- Operating voltage AC100 240V.
- Non dimmable.



AREAS OF APPLICATION





Hospitality

Shopping Center





Commercial

Educational Center




I TECHNICAL OPERATING & ELECTRICAL DATA


IP rating	IP20
Body Color	White
Body Material	Plastic
Lumen	from 800 to 1530lm/M+/-10%
Voltage	AC100-240V
Frequency	50/60Hz
Сар Туре	E27
Beam Angle	200°
Dimming	Non-Dimmable
Lamp Type	Indirect
Fixed or Adjustable	Fixed
Life span	15000hrs

SPECIFICATIONS

Code No.	Model No.	Power	Lumen	Efficacy	CCT	Dimensions
612818	ILS7.5T37E27L930WW01	7.5W	800lm	106.67lm/W	3000K	Ø38x111mm
612819	ILS7.5T37E27L940NW01	7.5W	805lm	107.33lm/W	4000K	Ø38x111mm
612820	ILS7.5T37E27L950DL01	7.5W	810lm	108.00lm/W	5000K	Ø38x111mm
612821	ILS9T37E27L930WW01	9W	1020lm	113.33lm/W	3000K	Ø38x111mm
612822	ILS9T37E27L940NW01	9W	1030lm	114.44lm/W	4000K	Ø38x111mm
612823	ILS9T37E27L950DL01	9W	1050lm	116.67lm/W	5000K	Ø38x111mm
612824	ILS11T45E27L930WW01	11W	1510lm	137.27lm/W	3000K	Ø44.5x135.5mm
612825	ILS11T45E27L940NW01	11W	1520lm	138.18lm/W	4000K	Ø44.5x135.5mm
612826	ILS11T45E27L950DL01	11W	1530lm	139.09lm/W	5000K	Ø44.5x135.5mm

DIMENSIONS






612818 - 612819 - 612820 - 612821 - 612822 - 612823

612824 - 612825 - 612826

APPLICATION PICTURE



LED NON – DIRECTIONAL LAMP SERIES

BEYOND LIGHT..
TO THE LAST DETAILS!

