



Full range recessed up-light to make your space distinctive

IN-GROUND LUMINAIRE SERIES

PRODUCT INFORMATION

- Provide a completed range of up-lights in terms of wattage, color temperature.
- Make your space distinctive with more safety and convenience as well.
- ILLUS IN-GROUND Luminaire gives the customer the flexibility to choose between 2 models.

BENEFITS

- Easy to opt.
- Quick installation.
- Robust design for severe conditions.

FEATURES

- Operating voltage AC220 – 240V.
- Ambient Temperature -20°C~45°C.



**BEYOND LIGHT..
TO THE LAST DETAILS!**

AREAS OF APPLICATION



Industrial



Shopping Center



Garden



Commercial



Educational Center





TECHNICAL OPERATING & ELECTRICAL DATA

IP Rating	IP65&67
Body Color	Grey+Black
Body Material	Aluminum
Frame Color	Stainless Steel
Frame Material	SS304
Voltage	AC220-240V
Frequency	50/60Hz
Mounting Type	Recessed In-ground
Type of Frame	Adjustable

SPECIFICATIONS

Code No.	Model No.	Max. Bulb Wattage	Cap Type
612175	ILSRMOIGF01	Max.9W	GU10
612176	ILSRMOIGF02	Max.9W	GU10

DIMENSIONS



612175

612176

APPLICATION PICTURE



This image is for display purpose only, the image may differ from the actual product, as the product is subject to modification provided without prior notice.

IN-GROUND LUMINAIRE SERIES

**BEYOND LIGHT..
TO THE LAST DETAILS!**



Carrer de la Vall de la Ballestera, 64, 46015 València, Valencia, España, Tel: +34619824456

www.illusillumination.com

illus illumination reserve the right to make dimensional, design and technical alternations without prior notice. illus illumination endeavor to ensure that any advice, recommendation or information it provides in product literature is accurate and correct. However due to the fact that illus do not have direct control on where and how the products are installed, illus illumination cannot accept any liability either direct or indirect arising from the use of illus products whether or not in accordance with any advice, specification, recommendation or information provided by illus illumination or its distributors.