

Make your boundaries Stand Out

LED SURFACE-MOUNTED LUMINAIRE (WALL) SERIES

PRODUCT INFORMATION

- Surface mounted, exterior-rated and compact sized architectural LED edge lighting luminaire that is designed for façade and outdoor decorative lighting applications.
- Ideal for edges lighting on windows and doors inner frames, building façades, landmarks and monuments.
- ILLUS LED SURFACE-MOUNTED Luminaire (WALL) gives the customer the flexibility to choose between 2 models based on their specific need with lumen package from 530 lm to 1000 lm.

BENEFITS

- Unique optical distribution to highlight the inner frames or outer edges of windows, balconies or doors.
- Compact size.
- Light weight.

FEATURES

- High CRI>80.
- Operating voltage AC220-240V.
- Non dimmable.



AREAS OF APPLICATION



Industrial



Shopping Center



Garden





Commercial

<u>्रीसी</u>। Educational Center




TECHNICAL OPERATING & ELECTRICAL DATA


Frame Material	Powder Coating
IP Rating	IP54
Power	8W
Lumen	530-1000lm/M+/-10%
CCT	3000K
Voltage	AC220-240V
Frequency	50/60Hz
Mounting Type	Surface-mounted on Wall
Dimming	Non Dimmable
Type of Frame	Fixed
Life Span	50000hrs


SPECIFICATIONS

Code No.	Model No.	Lumen	Efficacy	Body Color	Body Material	Frame Color
521150	ILS8WLWW03	530lm	66lm/W	new black	aluminum+ADC12	matt black
521268	ILS8WLWW05	1000lm	125lm/W	black	aluminum+Glass	shinng black

DIMENSIONS







521150 521268

APPLICATION PICTURE



LED SURFACE-MOUNTED LUMINAIRE (WALL) SERIES

BEYOND LIGHT..
TO THE LAST DETAILS!

