



LED PRO

Simple & Flexible Solution

LED PENDANT LINEAR LUMINAIRE SERIES

PRODUCT INFORMATION

- Modern looking, neat luminaire offering comfortable, good quality lighting and can also work as a design element.
- Ideal lighting in the non-working areas of professional spaces such as offices, educational institutes, and also the welcoming areas and entrances of retail spaces.
- ILLUS LED PENDANT LINEAR Luminaire gives the customer the flexibility to choose between 9 models based on their specific need with lumen package from 3300 lm to 3650 lm.

BENEFITS

- Uniform light.
- Multiple application use.
- Easy to install and maintain.

FEATURES

- High CRI>80.
- Efficacy to 91 lm/w.
- Long life span 50,000 hrs.
- Wide operating voltage AC220-240V.
- Non-dimmable.



**BEYOND LIGHT..
TO THE LAST DETAILS!**

AREAS OF APPLICATION



Hospitality



Shopping Center



Commercial



Educational Center




TECHNICAL OPERATING & ELECTRICAL DATA

Body Material	Aluminum
IP Rating	IP20
Lumen	3300-3650lm/M+/-10%
Voltage	AC220-240V
Frequency	50/60Hz
Beam Angle	110°
Dimming	Non Dimmable
Mounting Type	Mounted on Ceiling (Pendant)
Fixed or Adjustable	Fixed
Life Span	50000h

SPECIFICATIONS

Code No.	Model No.	Power	Lumen	Efficacy	CCT	Body Color
611279	ILS40PLL830WW01	40W	3304lm	83lm/W	3000K	silver
611280	ILS40PLL857DL01	40W	3650lm	91lm/W	5700K	silver
611495	ILS40PLL840NW01	40W	3470lm	87lm/W	4000K	silver
611281	ILS40PLL830WW02	40W	3304lm	83lm/W	3000K	white
611282	ILS40PLL857DL02	40W	3650lm	91lm/W	5700K	white
611496	ILS40PLL840NW02	40W	3470lm	87lm/W	4000K	white
611283	ILS40PLL830WW03	40W	3300lm	83lm/W	3000K	black
611284	ILS40PLL857DL03	40W	3650lm	91lm/W	5700K	black
611497	ILS40PLL840NW03	40W	3470lm	87lm/W	4000K	black

DIMENSIONS



APPLICATION PICTURE



This image is for display purpose only, the image may differ from the actual product, as the product is subject to modification provided without prior notice.

LED PENDANT LINEAR LUMINAIRE SERIES

**BEYOND LIGHT..
TO THE LAST DETAILS!**

