



Simple & Flexible Solution

LED PENDANT LINEAR LUMINAIRE SERIES

PRODUCT INFORMATION

- Modern looking, neat luminaire offering comfortable, good quality lighting and can also work as a design element.
- Ideal lighting in the non-working areas of professional spaces such as offices, educational institutes, and also the welcoming areas and entrances of retail spaces.
- ILLUS LED PENDANT LINEAR Luminaire gives the customer the flexibility to choose between 6 models based on their specific need with lumen package from 2050 lm to 2120 lm.

BENEFITS

- Uniform light.
- Multiple application use.
- Easy to install and maintain.

FEATURES

- High CRI>90.
- Efficacy to 106lm/w.
- Long life span 30,000 hrs.
- Wide operating voltage AC220-240V.
- Non-dimmable.



**BEYOND LIGHT..
TO THE LAST DETAILS!**

AREAS OF APPLICATION



Hospitality



Shopping Center



Commercial



Educational Center




TECHNICAL OPERATING & ELECTRICAL DATA

Body Material	Aluminum+Plastic
IP Rating	IP20
Lumen	2050-2120lm/M+/-10%
Voltage	AC220-240V
Frequency	50/60Hz
Beam Angle	48°
Dimming	Non Dimmable
Mounting Type	Mounted on Ceiling
Fixed or Adjustable	Fixed
Life Span	30000h


SPECIFICATIONS

Code No.	Model No.	Power	Lumen	Efficacy	CCT	Body Color
611583	ILS20DLLLDB930WW01	20W	2050lm	103lm/w	3000K	black
611584	ILS20DLLLDB940NW01	20W	2100lm	105lm/w	4000K	black
611585	ILS20DLLLDB950DL01	20W	2120lm	106lm/w	5000K	black
611586	ILS20DLLLDW930WW01	20W	2050lm	103lm/w	3000K	white
611587	ILS20DLLLDW940NW01	20W	2100lm	105lm/w	4000K	white
611588	ILS20DLLLDW950DL01	20W	2120lm	106lm/w	5000K	white

DIMENSIONS



611583 - 611584 - 611585 - 611586 - 611587 - 611588



This image is for display purpose only, the image may differ from the actual product, as the product is subject to modification provided without prior notice.

LED PENDANT LINEAR LUMINAIRE SERIES

**BEYOND LIGHT..
TO THE LAST DETAILS!**

