

L≢ PRO

Your everyday LEDspot GU10

LED GU10 LAMP SERIES

PRODUCT INFORMATION

- LEDspots GU10 are designed as a retrofit replacement for halogen spots.
- Deliver significant energy savings and minimize initial investment.
- ILLUS LED GU10 lamp gives the customer the flexibility to choose between 8 models based on their specific need with lumen package from 400 lm to 450 lm.

BENEFITS

- Up to 90% energy saving compared with traditional halogen lamps.
- Lower maintenance costs.
- Low initial investment.

FEATURES

- High CRI>95.
- Efficacy up to 79 lm/w.
- Long life span 25,000 hrs.
- Wide operating voltage 100 240 V.
- Non dimmable.
- UV and IR free light.



AREAS OF APPLICATION





Hospitality

Shopping Center





Commercial

Educational Center




I TECHNICAL OPERATING & ELECTRICAL DATA

Body Color	White		
Body Material	Plastic		
IP rating	IP20		
CRI	95		
Lumen	from 400 to 450lm/M+/-10%		
Voltage	AC100-240V		
Frequency	50/60Hz		
Lamp Holder Type	GU10		
Lamp Type	Direct		
Fixed or Adjustable	Fixed		
Life span	25,000hrs		

SPECIFICATIONS


Code No.	Model No.	Power	Lumen	Efficacy	CCT	Beam Angle
612643	ILS60D5.7GU10L927WW01	5.7W	400lm	70.18lm/W	2700K	60°
612644	ILS60D5.7GU10L930WW01	5.7W	410lm	71.93lm/W	3000K	60°
612645	ILS60D5.7GU10L940NW01	5.7W	430lm	75.44lm/W	4000K	60°
612646	ILS60D5.7GU10L950DL01	5.7W	440lm	77.19lm/W	5000K	60°
612647	ILS110D5.7GU10L927WW01	5.7W	410lm	71.93lm/W	2700K	110°
612648	ILS110D5.7GU10L930WW01	5.7W	420lm	73.68lm/W	3000K	110°
612649	ILS110D5.7GU10L940NW01	5.7W	440lm	77.19lm/W	4000K	110°
612650	ILS110D5.7GU10L950DL01	5.7W	450lm	78.95lm/W	5000K	110°


DIMENSIONS



612643 - 612644 - 612645 - 612646 - 612647 - 612648 - 612649 - 612650


| PHOTOMETRIC DATA








AVERAGE BEAM ANGLE(50%):48.8 DEG


612644















APPLICATION PICTURE



LED GU10 LAMP SERIES BEYOND LIGHT..
TO THE LAST DETAILS!

