

Simple & Flexible Solution to design modern lights lines in professional and retail spaces.

LED PENDANT LINEAR LUMINAIRE SERIES

PRODUCT INFORMATION

- Modern looking, neat luminaire offering comfortable, good quality lighting and can also work as a design element.
- Ideal lighting in the non-working areas of professional spaces such as offices, educational institutes, and also the welcoming areas and entrances of retail spaces.
- ILLUS LED PENDANT LINEAR Luminaire gives the customer the flexibility to choose between 9 models based on their specific need with lumen package from 950 lm to 1300 lm..

BENEFITS

- Clean and uniform light.
- Multiple application use.
- Easy to install and maintain.

FEATURES

- High CRI>80.
- Efficacy to 90lm/w.
- Long life span 30,000 hrs.
- Wide operating voltage AC220-240V.
- Non-dimmable.



AREAS OF APPLICATION





Hospitality

Shopping Center





Commercial

Educational Center




I TECHNICAL OPERATING & ELECTRICAL DATA


Body Material	Aluminum
IP Rating	IP20
Lumen	950-1300lm/M+/-10%
Voltage	AC220-240V
Frequency	50/60Hz
Beam Angle	115°
Dimming	Non- Dimmable
Lamp Type	Indirect
Fixed or Adjustable	Adjustable
Life Span	30000h

SPECIFICATIONS


Code No.	Model No.	Power	Lumen	Efficacy	CCT	Body Color
671119	ILS14.5PLL830WW01	14.5W	1070lm	73.79lm/W	3000K	aluminum
671120	ILS14.5PLL840NW01	14.5W	1150lm	79.31lm/W	4000K	aluminum
671121	ILS14.5PLL850DL01	14.5W	1200lm	82.76lm/W	5000K	aluminum
671122	ILS14.5PLL830WW02	14.5W	1150lm	79.31lm/W	3000K	matt white
671123	ILS14.5PLL840NW02	14.5W	1250lm	86.21lm/W	4000K	matt white
671124	ILS14.5PLL850DL02	14.5W	1300lm	89.66lm/W	5000K	matt white
671125	ILS14.5PLL830WW03	14.5W	950lm	65.52lm/W	3000K	matt black
671126	ILS14.5PLL840NW03	14.5W	1050lm	72.41lm/W	4000K	matt black
671127	ILS14.5PLL850DL03	14.5W	1100lm	75.86lm/W	5000K	matt black

DIMENSIONS





APPLICATION PICTURE



LED PENDANT LINEAR LUMINAIRE SERIES

BEYOND LIGHT..
TO THE LAST DETAILS!

