



For every project, where light really matters

LED MINI DOWNLIGHT LUMINAIRE SERIES

PRODUCT INFORMATION

- Suitable for a series of lighting applications in office, retail and general area lighting.
- Available in a wide variety of lumen packs, cut out size and color temperature.
- ILLUS LED MINI DOWNLIGHT Luminaire gives the customer the flexibility to choose between 14 models based on their specific need with lumen package from 175 lm to 215 lm.

BENEFITS

- Compact design for better integration with the building.
- Comfortable light with high efficiency.
- Reliable performance for indoor applications.

FEATURES

- High CRI>95.
- Efficacy up to 63lm/w.
- Long life span 25,000 hrs.
- Operating voltage AC220 – 240V.
- Non – dimmable.



**BEYOND LIGHT..
TO THE LAST DETAILS!**

AREAS OF APPLICATION



Hospitality



Shopping Center



Commercial



Educational Center







TECHNICAL OPERATING & ELECTRICAL DATA

IP Rating	IP20
Body Material	Aluminum
Lumen	from 175 to 215 lm/M+/-10%
Voltage	AC220-240V
Frequency	50/60Hz
Beam Angle	24°
Mounting Type	Recessed in the Ceiling
Dimming	Non-Dimmable
Lamp Type	Direct
Fixed or Adjustable	Fixed
Life Span	25000h

SPECIFICATIONS




Code No.	Model No.	CRI	Power	Lumen	Efficacy	CCT	Body Color
5101255	ILS3.5SDL930WW01	90	3.5W	215lm	61.43lm/w	3000K	white
5101256	ILS3.5SDL957DL01	90	3.5W	215lm	61.43lm/w	5700K	white
5101257	ILS2.8SDL930WW01	90	2.8W	175lm	62.50lm/w	3000K	white
5101258	ILS2.8SDL957DL01	90	2.8W	175lm	62.50lm/w	5700K	white
5101259	ILS2.8SDL930WW02	90	2.8W	175lm	62.50lm/w	3000K	silver
5101260	ILS2.8SDL957DL02	90	2.8W	175lm	62.50lm/w	5700K	silver
5101261	ILS2.8SDL930WW03	90	2.8W	175lm	62.50lm/w	3000K	white
5101262	ILS2.8SDL957DL03	90	2.8W	175lm	62.50lm/w	5700K	white
5101263	ILS2.8SDL930WW04	90	2.8W	175lm	62.50lm/w	3000K	silver
5101264	ILS2.8SDL957DL04	90	2.8W	175lm	62.50lm/w	5700K	silver
5101265	ILS3.5SDL930WW02	95	3.5W	215lm	61.43lm/w	3000K	black + white
5101266	ILS3.5SDL957DL02	95	3.5W	215lm	61.43lm/w	5700K	black + white
5101267	ILS3.5SDL930WW03	95	3.5W	215lm	61.43lm/w	3000K	black + silver
5101268	ILS3.5SDL957DL03	95	3.5W	215lm	61.43lm/w	5700K	black + silver

DIMENSIONS



5101255 - 5101256

5101257 - 5101258 - 5101259 - 5101260



5101261 - 5101262 - 5101263 - 5101264

5101265 - 5101266 - 5101267 - 5101268

APPLICATION PICTURE



This image is for display purpose only, the image may differ from the actual product, as the product is subject to modification provided without prior notice.

LED MINI DOWNLIGHT LUMINAIRE SERIES

**BEYOND LIGHT..
TO THE LAST DETAILS!**



Carrer de la Vall de la Ballestera, 64, 46015 València, Valencia, España, Tel: +34619824456

www.illusillumination.com

illus illumination reserve the right to make dimensional, design and technical alternations without prior notice. illus illumination endeavor to ensure that any advice, recommendation or information it provides in product literature is accurate and correct. However due to the fact that illus do not have direct control on where and how the products are installed, illus illumination cannot accept any liability either direct or indirect arising from the use of illus products whether or not in accordance with any advice, specification, recommendation or information provided by illus illumination or its distributors.