



RECESSED FRAME SERIES



**BEYOND LIGHT..
TO THE LAST DETAILS!**

AREAS OF APPLICATION



Hospitality



Shopping Center



Commercial



Educational Center





TECHNICAL OPERATING & ELECTRICAL DATA

IP Rating	IP20
Voltage	AC220-240V
Frequency	50/60Hz
Ambient Temperature	-20°C~45°C
Cap Type	GU10
Mounting Type	Recessed Ceiling



SPECIFICATIONS

Code No.	Model No.	Body Color	Body Material	Type of Frame
5101569	ILS085SFW01	matt black	aluminum	fixed
5101570	ILS093SFW01	matt black	aluminum	adjustable
5101571	ILS090SFW02	matt black	aluminum	adjustable
5101572	ILS095SFGGR01	matt black	aluminum	fixed
5101573	ILS090SFW05	matt black	aluminum	adjustable
5101574	ILS093SFW03	matt black	aluminum	fixed
5101575	ILS103SFWB01	matt black	aluminum	adjustable
5101576	ILS095SFWS01	matt black	aluminum	fixed
5101577	ILS090SFW01	matt black	aluminum	fixed



DIMENSIONS



5101569




5101570




5101571


DIMENSIONS



5101572





5101573





5101574



DIMENSIONS



5101575



5101576



5101577

APPLICATION PICTURE



This image is for display purpose only, the image may differ from the actual product, as the product is subject to modification provided without prior notice.

RECESSED FRAME SERIES

**BEYOND LIGHT..
TO THE LAST DETAILS!**



Carrer de la Vall de la Ballestera, 64, 46015 València, Valencia, España, Tel: +34619824456

www.illusillumination.com

illus illumination reserve the right to make dimensional, design and technical alternations without prior notice. illus illumination endeavor to ensure that any advice, recommendation or information it provides in product literature is accurate and correct. However due to the fact that illus do not have direct control on where and how the products are installed, illus illumination cannot accept any liability either direct or indirect arising from the use of illus products whether or not in accordance with any advice, specification, recommendation or information provided by illus illumination or its distributors.