



# Make your boundaries Stand Out

## LED SURFACE-MOUNTED LUMINAIRE (PROJECTOR) SERIES

### PRODUCT INFORMATION

- Surface mounted, exterior-rated and compact sized architectural LED edge lighting luminaire that is designed for façade and outdoor decorative lighting applications.
- Ideal for edges lighting on windows and doors inner frames, building façades, landmarks and monuments.
- ILLUS LED SURFACE-MOUNTED Luminaire (PROJECTOR) gives the customer the flexibility to choose between 4 models based on their specific need.

### BENEFITS

- Unique optical distribution to highlight the inner frames or outer edges of windows, balconies or doors.
- Compact size.
- Light weight.

### FEATURES

- High CRI>80.
- Operating voltage AC220-240V.
- Non - dimmable.



**BEYOND LIGHT..  
TO THE LAST DETAILS!**

## AREAS OF APPLICATION



Industrial



Shopping Center



Garden



Commercial



Educational Center




## TECHNICAL OPERATING & ELECTRICAL DATA

Body Color	Dark Gray
Body Material	Aluminum
IP Rating	IP65
Voltage	AC220-240V
Frequency	50/60Hz
Dimming	Non Dimmable
Mounting Type	Surface-Mounted
Lamp Type	Direct
Fixed or Adjustable	Adjustable
Life Span	30000h


## SPECIFICATIONS

Code No.	Model No.	Power	Lumen	Efficacy	CCT	Beam Angle
541124	ILS13SMOPJL01	13w	754lm	58lm/w	3000K	24°
541126	ILS13SMOPJL02	13w	754lm	58lm/w	3000K	24°
541127	ILS20SMOPJL01	20w	1500lm	75lm/w	3000K	24°
541129	ILS20SMOPJL02	20w	1500lm	75lm/w	3000K	24°


## **| DIMENSIONS**




541124



541127



541126



541129



This image is for display purpose only, the image may differ from the actual product, as the product is subject to modification provided without prior notice.

## **LED SURFACE-MOUNTED LUMINAIRE (PROJECTOR) SERIES**

**BEYOND LIGHT..  
TO THE LAST DETAILS!**

