

LED PRO

**Simple and flexible solution to design modern light lines in professional and retail spaces**

## **LED MAGNETIC TRACK LINEAR LIGHT SERIES**

### **PRODUCT INFORMATION**

- Modern looking, neat luminaire offering comfortable, good quality lighting and can also work as a design element.
- Ideal lighting in the non-working areas of professional spaces such as offices, educational institutes, and also the welcoming areas and entrances of retail spaces.
- ILLUS LED MAGNETIC TRACK LINEAR Light gives the customer the flexibility to choose between 8 models based on their specific need with lumen package from 750 lm to 2250 lm.

### **BENEFITS**

- Clean and uniform light.
- Multiple application use.
- Easy to install and maintain.

### **FEATURES**

- High CRI>90.
- Efficacy up to 98 lm/w.
- Long life span 30,000 hrs.
- Operating voltage DC48 V.
- Non – dimmable.



**BEYOND LIGHT..  
TO THE LAST DETAILS!**

## AREAS OF APPLICATION



Hospitality




Shopping Center



Commercial



Educational Center




## TECHNICAL OPERATING & ELECTRICAL DATA

IP Ratings	IP20
CRI	90
Body Color	Sandy Black
Body Material	Aluminum
Lumen	from 750 to 2250lm/M+/-10%
Voltage	AC220-240V
Driver Voltage	DC48V
Frequency	50/60Hz
Beam Angle	30°
Mounting Type	Surface Mounted
Dimmable or Not	Non-Dimmable
Directional or Non Directional	Directional
Fixed or Adjustable	Fixed
Life Span	30000h


## SPECIFICATIONS

Code No.	Model No.	Power	Lumen	Efficacy	CCT
613629	ILS9W36DMDTL930WW01	8.5W	750lm	88.24lm/W	3000K
613630	ILS9W36DMDTL940NW01	8.5W	800lm	94.12lm/W	4000K
613631	ILS15W36DMDTL930WW01	14.5W	1300lm	89.66lm/W	3000K
613632	ILS15W36DMDTL940NW01	14.5W	1370lm	94.48lm/W	4000K
613633	ILS20W36DMDTL930WW01	20W	1650lm	82.50lm/W	3000K
613634	ILS20W36DMDTL940NW01	20W	1750lm	87.50lm/W	4000K
613635	ILS24W110DMDTL930WW01	23W	2050lm	89.13lm/W	3000K
613636	ILS24W110DMDTL940NW01	23W	2250lm	97.83lm/W	4000K


## DIMENSIONS




613629 - 613630



613631 - 613632



613633 - 613634




613635 - 613636


## ACCESSORIES

Code No.	Model No.	Body Color	Body Material	Power
613669	ILS1M4RTLB01	sandy black	aluminum	/
613670	ILS2M4RTLB01	sandy black	aluminum	/
613671	ILS3M4RTLB01	sandy black	aluminum	/
613672	ILS1M4RTLB02	sandy black	aluminum	/
613673	ILS2M4RTLB02	sandy black	aluminum	/
613674	ILS3M4RTLB02	sandy black	aluminum	/
613675	ILS48VPSTRK01	sandy black	plastic	150W
613676	ILSRATR01	sandy black	aluminum	/
613677	ILSRATR02	sandy black	aluminum	/
613678	ILSSMATR01	sandy black	aluminum	/
613679	ILSSMATR02	sandy black	aluminum	/
613680	ILSCITR01	sandy black	plastic	/
613681	ILSCLTR01	sandy black	plastic	/
613682	ILSPKITTR01	nickle	steel	/
613683	ILSTKITTR01	sliver	aluminum	/


## ACCESSORIES DIMENSIONS



613669 - 613670 - 613671







613672- 613673 - 613674



613676


613677

## ACCESSORIES DIMENSIONS




613678


613679



613675




613680






613681

## ACCESSORIES DIMENSIONS



613682



613683

## APPLICATION PICTURE



## LED MAGNETIC TRACK LINEAR LIGHT SERIES

**BEYOND LIGHT..  
TO THE LAST DETAILS!**



Carrer de la Vall de la Ballestera, 64, 46015 València, Valencia, España, Tel: +34619824456

[www.illusillumination.com](http://www.illusillumination.com)

illus illumination reserve the right to make dimensional, design and technical alternations without prior notice. illus illumination endeavor to ensure that any advice, recommendation or information it provides in product literature is accurate and correct. However due to the fact that illus do not have direct control on where and how the products are installed, illus illumination cannot accept any liability either direct or indirect arising from the use of illus products whether or not in accordance with any advice, specification, recommendation or information provided by illus illumination or its distributors.