



LED PRO

**Simple and flexible solution to design modern light lines in professional and retail spaces**

## **LED MAGNETIC TRACK PENDANT LIGHT SERIES**

### **PRODUCT INFORMATION**

- Modern looking, neat luminaire offering comfortable, good quality lighting and can also work as a design element.
- Ideal lighting in the non-working areas of professional spaces such as offices, educational institutes, and also the welcoming areas and entrances of retail spaces.
- ILLUS LED MAGNETIC TRACK SPOT Light gives the customer the flexibility to choose between 12 models based on their specific need with lumen package from 370 lm to 1050 lm.

### **BENEFITS**

- Clean and uniform light.
- Multiple application use.
- Easy to install and maintain.

### **FEATURES**

- High CRI>90.
- Efficacy up to 106 lm/w.
- Long life span 30,000 hrs.
- Operating voltage DC48 V.
- Non – dimmable.



**BEYOND LIGHT..  
TO THE LAST DETAILS!**

## AREAS OF APPLICATION



Hospitality



Shopping Center



Commercial



Educational Center




## TECHNICAL OPERATING & ELECTRICAL DATA

IP Ratings	IP20
CRI	90
Body Color	Sandy Black
Body Material	Aluminum+Industrial Plastic
Lumen	from 370 to 1050lm/M+/-10%
Voltage	AC220-240V
Driver Voltage	DC48V
Frequency	50/60Hz
Beam Angle	24°
Mounting Type	Track Mounted
Dimmable or Not	Non-Dimmable
Directional or Non Directional	Directional
Fixed or Adjustable	Fixed
Life Span	30000h


## SPECIFICATIONS

Code No.	Model No.	Power	Lumen	Efficacy	CCT
613657	ILS9W24DMTPL930WW01	8.5W	850lm	100.00lm/W	3000K
613658	ILS9W24DMTPL940NW01	8.5W	900lm	105.88lm/W	4000K
613659	ILS5W100DMTPL930WW01	5W	450lm	90.00lm/W	3000K
613660	ILS5W100DMTPL940NW01	5W	480lm	96.00lm/W	4000K
613661	ILS7W100DMTPL930WW01	7W	650lm	92.86lm/W	3000K
613662	ILS7W100DMTPL940NW01	7W	700lm	100.00lm/W	4000K
613663	ILS12W100DMTPL930WW01	12W	950lm	79.17lm/W	3000K
613664	ILS12W100DMTPL940NW01	12W	1050lm	87.50lm/W	4000K
613665	ILS5W24DMTPL930WW01	4.5W	370lm	82.22lm/W	3000K
613666	ILS5W24DMTPL940NW01	4.5W	450lm	100.00lm/W	4000K
613667	ILS5W24DMTPL930WW02	4.5W	380lm	84.44lm/W	3000K
613668	ILS5W24DMTPL940NW02	4.5W	400lm	88.89lm/W	4000K


# DIMENSIONS




613657 - 613658



613659 - 613660





613661 - 613662



613663 - 613664

## DIMENSIONS




613665 - 613666

613667 - 613668


## ACCESSORIES

Code No.	Model No.	Body Color	Body Material	Power
613669	ILS1M4RTLB01	sandy black	aluminum	/
613670	ILS2M4RTLB01	sandy black	aluminum	/
613671	ILS3M4RTLB01	sandy black	aluminum	/
613672	ILS1M4RTLB02	sandy black	aluminum	/
613673	ILS2M4RTLB02	sandy black	aluminum	/
613674	ILS3M4RTLB02	sandy black	aluminum	/
613675	ILS48VPSTRK01	sandy black	plastic	150W
613676	ILSRATR01	sandy black	aluminum	/
613677	ILSRATR02	sandy black	aluminum	/
613678	ILSSMATR01	sandy black	aluminum	/
613679	ILSSMATR02	sandy black	aluminum	/
613680	ILSCITR01	sandy black	plastic	/
613681	ILSCLTR01	sandy black	plastic	/
613682	ILSPKITTR01	nickle	steel	/
613683	ILSTKITTR01	sliver	aluminum	/


## ACCESSORIES DIMENSIONS



613669 - 613670 - 613671







613672- 613673 - 613674



613676


613677

## ACCESSORIES DIMENSIONS




613678


613679



613675




613680






613681

## ACCESSORIES DIMENSIONS



613682



613683





**LED MAGNETIC  
TRACK PENDANT LIGHT  
SERIES**

**BEYOND LIGHT..  
TO THE LAST DETAILS!**

