



Vonn

Wall & Floor Tiles



Textured Stone in Ceramics

The Vonn series is based on a fusion of marble, creating a collection inspired by the most fascinating facet of nature: its efficiency and ability to adapt to its surroundings.

Far from being merely style over substance, Vonn goes a step further by accurately reflecting the material in its natural state, bearing in mind that it varies according to its location and the conditions to which it is exposed.

Colors



Anthracite




Light



Light

CH01430064	898x898 mm
CH01430062	598x1198 mm










Anthracite

CH01430065 898x898 mm

CH01430063 598x1198 mm



Thickness : 9 mm





Livingceramics



TECHNICAL DATA

STANDARD: UNE/EN 14411:2016

DRY PRESSED CERAMIC TILES WITH WATER ABSORPTION LOWER THAN 0,5%

Rectified porcelain

Standard	Features	Required Value	Value
EN-ISO 10545 / 3	Water absorption	Grupo Bla / E < 0,5 %	E < 0,5 %
EN-ISO 10545 / 4	Breaking strength	> 1300 N	> 2500 N
EN-ISO 10545 / 4	Bendind strength	> 35 N/mm ²	> 52 N/mm ²
EN-ISO 10545 / 6	Resistance to deep abrasion	< 175 mm ³	≤ 139 mm ³ Complies with
EN-ISO 10545 / 11	Crazing resistance	Required	Complies with
EN-ISO 10545 / 12	Frost resistance	Required	Complies with
EN-ISO 10545 / 13	Chemical resistance: acids and alkalis	Indicated by the manufacturer	GLA/GHA Complies with
EN-ISO 10545 / 13	Chemical resistance: domestic cleaning products and swimming pool salts	Min. GB	GA
EN-ISO 10545 / 14	Stain resistance	Min. class 3	class 5
EN-ISO 10545 / 2	Surface quality	Min. 95% of tiles without defect	Min. Guaranteed
UNE ENV 12633	Slip Resistance (Pendulum Test)	Min. class 1	class 1
DIN 51130	Critical Angle of Sliding (Inclined Platform)	Min. R9	R9
DIN 51097	Critical Angle of Sliding (Wet Areas of Barefoot Walking)	Min. class A	Class A
UNE EN 13501-1:2002	Fire Reaction Test		A1 / A1FL
VOC	Do not release volatile elements		

Checked By QUALITY DEPARTAMENT LVG CERAMIC SURFACES

standard international ISO 9001
Quality Management International Standard Obtained In 2015.



Green Building Council Membership





Living ceramics

2023

Kingdom of Saudi Arabia

Customer care. 8001222230

WhatsApp. +966112735290

E.Mail. customer-care@marketing-home.com

<https://www.ceramichome.com.sa>