

## TECHNICAL DATA

L shape stair nosing profile.

Reference number : Am707

Size: 40x65x2500 mm

Thickness:  $\pm 1$

(There may be slight size differences)

|            |  |             |
|------------|--|-------------|
| CH01370038 | Am707 Aluminum Silver Matt 105 X 30 X 2500 | Silver Matt |
|------------|--|-------------|

| Description          | Standard      |
|----------------------|---------------|
| Length               | 2500 mm       |
| Width                | 65 mm         |
| Height               | 40 mm         |
| Thickness            | $\pm 1$ mm    |
| Material             | Aluminum      |
| Fire resistance      | UNE 23-727-90 |
| Appearance and color | EN 12373-1    |
| Lightfastness        | Excellent     |

### Installation :

It's widely applied to transition of tile, stone, wooden laminates, door boards and wall decorative strips.

- 1.Cut profile to the desired length and apply the adhesive on the support where the profile will be laid.
- 2.Remove carefully any remains of oil, fat and dirt from the surface where the profile will be laid.
- 3.Install it on the mounting screw.

### Cleaning and maintenance :

The product must be cleaned periodically with a soft mop. If you use a neutral liquid cleaner, you must rinse the profile with cold water and dry it to remove the humidity excess. The persistent dirtiness can be removed by using cleaning approved agents lightly abrasive or a grid covered with polished powder neutral. Steel wool, abrasive cleaners, souring products as well as strong acids (hydrochloric and perchloric), strong bases (caustic soda or ammonia) or carbonated solutions are not recommended. Citric acid is neither recommended because it dissolves the protective layer of the surface of aluminium. Waxes, petrolatum, lanolin or similar substances are not appropriate. Solvents containing haloalkanes (hydrofluoroether and chlorinated solvents) and curing accelerators containing chlorides should not be used (use special accelerators free of chlorides)

Checked By QUALITY DEPARTMENT

occupational health and safety  
GB/T45001-2020/ISO 45001:2018



Quality Management System ISO 9001

