



LED PRO

WALL LUMINAIRE SERIES

illus
illumination

BEYOND LIGHT..
TO THE LAST DETAILS!

AREAS OF APPLICATION

Hospitality

Shopping Center

Commercial

Educational Center


TECHNICAL OPERATING & ELECTRICAL DATA

Voltage	AC220-240V
Frequency	50/60Hz
Cap Type	G9
Body Material	iron+glass
Max. Bulb Wattage	Max.5W

SPECIFICATIONS

Code No.	Item Model No.	Family Model No.	Body Color	Dimensions
LI661546	ILTMEFFSWL08	ILTMEFSWL40	Gold+Amber	150x90mm
LI661548	ILTMEFFSWL09	ILTMEFSWL40	Black+Smoky	150x90mm


DIMENSIONS



SHADES SPECIFICATIONS
WALL LUMINAIRE

Code No.	Model No.	Body Material	Body Color
LI661547	ILTMEFFSWL08-SHD	Glass	Amber
LI661549	ILTMEFFSWL09-SHD	Glass	Smoky

SHADES DIMENSIONS
WALL LUMINAIRE



APPLICATION PICTURE



WALL LUMINAIRE SERIES

**BEYOND LIGHT..
TO THE LAST DETAILS!**

illus
illumination

Carrer de la Vall de la Ballestera, 64, 46015 València, Valencia, España, Tel: +34619824456 www.illusillumination.com

illus illumination reserve the right to make dimensional, design and technical alternations without prior notice. illus illumination endeavor to ensure that any advice, recommendation or information it provides in product literature is accurate and correct. However due to the fact that illus do not have direct control on where and how the products are installed, illus illumination cannot accept any liability either direct or indirect arising from the use of illus products whether or not in accordance with any advice, specification, recommendation or information provided by illus illumination or its distributors.

11192021V1