



Suitable Light for General Lighting applications

LED BOLLARD LUMINAIRE SERIES

PRODUCT INFORMATION

- Suitable for a series of lighting applications in office, retail and general area lighting.
- Available in a wide variety of lumen packs, cut out size and color temperature.
- ILLUS LED BOLLARD Luminaire gives the customer the flexibility
To choose between 6 models based on their specific need with lumen package from 125 lm to 270 lm.

BENEFITS

- Compact design for better integration with the building.
- Comfortable light with high efficiency.
- Reliable performance for indoor applications.

FEATURES

- High CRI > 85.
- Long life span 30,000 hrs.
- Operating voltage AC100 – 240V.
- Non- Dimmable.

AREAS OF APPLICATION



Hospitality



Public indoor



Shopping Center



Commercial



Workplace



Educational center




TECHNICAL OPERATING & ELECTRICAL DATA

Input Voltage & Frequency	AC100-240V, 50/60Hz
Rated CRI	>85
Life Span	30,000h
Dimming	Non- Dimmable
Ambient Temperature	-20°C~45°C
Switching Cycle ON/OFF	15,000
Body Material	Aluminum
Body Color	Dark Gray


SPECIFICATIONS

Code No.	Model No.	Power	CCT	Lumen	Efficacy	Beam Angle	IP
541187	ILS13L3BD830WW01	13W	3000K	125lm	9.62lm/W	107°	65
541188	ILS13L5BD830WW01	13W	3000K	125lm	9.62lm/W	107°	65
541189	ILS13L8BD830WW01	13W	3000K	125lm	9.62lm/W	107°	65
541192	ILS7L3BD830WW01	7W	3000K	270lm	38.57lm/W	120°	54
541193	ILS7L5BD830WW01	7W	3000K	270lm	38.57lm/W	120°	54
541194	ILS7L8BD830WW01	7W	3000K	270lm	38.57m/W	120°	54


DIMENSIONS




541187




541188




541189



541192



541193



541194

APPLICATION PICTURE



This image is for display purpose only, the image may differ from the actual product, as the product is subject to modification provided without prior notice.

LED BOLLARD LUMINAIRE SERIES

**BEYOND LIGHT..
TO THE LAST DETAILS!**



Carrer de la Vall de la Ballestera, 64, 46015 València, Valencia, España, Tel: +34619824456

www.illusillumination.com

illus illumination reserve the right to make dimensional, design and technical alternations without prior notice. illus illumination endeavor to ensure that any advice, recommendation or information it provides in product literature is accurate and correct. However due to the fact that illus do not have direct control on where and how the products are installed, illus illumination cannot accept any liability either direct or indirect arising from the use of illus products whether or not in accordance with any advice, specification, recommendation or information provided by illus illumination or its distributors.

09092021M/1