

AREAS OF APPLICATION



Hospitality



Shopping Center



Commercial



Educational Center


TECHNICAL OPERATING & ELECTRICAL DATA

Rated Power	17W
Body Material	Silicon
CRI	90
Ambient Temperature	-20°C~45°C
IEC Classification	Class III
Input Voltage	DC24V
Switching Cycle	20000X,on/off
Dimming	Non- Dimmable
Life Span	30000h
IP Rating	IP65

SPECIFICATIONS

Code No.	Model No.	Body Color	CCT	Lumen	Efficacy	Beam Angle
614932	ILS16WWLVST830WW01	White	3000K	1150lm	67.65lm/W	36°
614933	ILS16WWLVST840NW01	White	4000K	1250lm	73.53lm/W	36°
614934	ILS16WWLVST830WW02	Black	3000K	950lm	55.88lm/W	36°
614935	ILS16WWLVST840NW02	Black	4000K	1050lm	61.76lm/W	36°



DIMENSIONS



ACCESSORIES



Code No.	Model No.	Body Color	Body Material
614936	IILSWLSEC01	White	Silicon
614937	ILSWLSTFCT03	Silver	Aluminum
614938	ILS1MAPSW03	Silver	Aluminum
614939	ILSSSFCH5M01	Silver	Staninless steel
614940	ILSWLSTFCT01	Silver	Staninless steel
614941	ILSWLSTFCT02	Silver	Staninless steel

ACCESSORIES DIMENSIONS



614936


614937




614938

614939

ACCESSORIES DIMENSIONS



614940



614941