



LED **PRO**

Simple and flexible solution to design modern light lines in professional and retail spaces

LED MAGNETIC ULTRA THIN LIGHT SERIES

PRODUCT INFORMATION

- Modern looking, neat luminaire offering comfortable, good quality lighting and can also work as a design element.
- Ideal lighting in the non-working areas of professional spaces such as offices, educational institutes, and also the welcoming areas and entrances of retail spaces.
- ILLUS LED MAGNETIC ULTRA THIN Light gives the customer the flexibility to choose between 24 models based on their specific need with lumen package from 450lm to 1630lm.

BENEFITS

- Clean and uniform light.
- Multiple application use.
- Easy to install and maintain.

FEATURES

- High CRI>95.
- Efficacy up to 95lm/w.
- Long life span 30,000 hrs.
- Operating voltage DC48V.
- Non – dimmable.



**BEYOND LIGHT..
TO THE LAST DETAILS!**

AREAS OF APPLICATION



Hospitality



Shopping Center



Commercial



Educational Center


TECHNICAL OPERATING & ELECTRICAL DATA

IP Ratings	IP20
CRI	>95
Body Color	Black
Body Material	Aluminum
Ambient Temperature	-20°C~45°C
Operating Voltage	DC48V
Dimming	Non-Dimmable
Directional or Non Directional	Directional
Fixed or Adjustable	Fixed
Life Span	30000h
Switching Cycle	15000


SPECIFICATIONS

Code No.	Model No.	Power	Lumen	Efficacy	CCT	Beam Angle
LI614680	ILS9.5MSL930WWB01	9.5W	660lm	69.47lm/W	3000K	24°
LI614681	ILS9.5MSL940NWB01	9.5W	680lm	71.58lm/W	4000K	24°
LI614682	ILS9.5MSL965DLB01	9.5W	710lm	74.74lm/W	6500K	24°
LI614683	ILS13MSL930WWB01	13W	950lm	73.08lm/W	3000K	24°
LI614684	ILS13MSL940NWB01	13W	1000lm	76.92lm/W	4000K	24°
LI614685	ILS13MSL965DLB01	13W	1070lm	82.31lm/W	6500K	24°
LI614686	ILS17MSL930WWB01	17W	1250lm	73.53lm/W	3000K	24°
LI614687	ILS17MSL940NWB01	17W	1320lm	77.65lm/W	4000K	24°
LI614688	ILS17MSL965DLB01	17W	1400lm	82.35lm/W	6500K	24°
LI614689	ILS10MLL930WWB01	10W	800lm	80.00lm/W	3000K	110°
LI614690	ILS10MLL940NWB01	10W	820lm	82.00lm/W	4000K	110°
LI614691	ILS10MLL965DLB01	10W	850lm	85.00lm/W	6500K	110°
LI614692	ILS13MLL930WWB01	13W	1100lm	84.62lm/W	3000K	110°
LI614693	ILS13MLL940NWB01	13W	1150lm	88.46lm/W	4000K	110°
LI614694	ILS13MLL965DLB01	13W	1230lm	94.62lm/W	6500K	110°
LI614695	ILS17.5MLL930WWB01	17.5W	1480lm	84.57lm/W	3000K	110°
LI614696	ILS17.5MLL940NWB01	17.5W	1550lm	88.57lm/W	4000K	110°
LI614697	ILS17.5MLL965DLB01	17.5W	1630lm	93.14lm/W	6500K	110°
LI614698	ILS6MTL930WWB01	6W	450lm	75.00lm/W	3000K	36°
LI614699	ILS6MTL940NWB01	6W	470lm	78.33lm/W	4000K	36°
LI614700	ILS6MTL965DLB01	6W	500lm	83.33lm/W	6500K	36°
LI614701	ILS9.5AMSL930WWB01	9.5W	690lm	72.63lm/W	3000K	24°
LI614702	ILS9.5AMSL940NWB01	9.5W	720lm	75.79lm/W	4000K	24°
LI614703	ILS9.5AMSL965DLB01	9.5W	750lm	78.95lm/W	6500K	24°


DIMENSIONS




LI614680 - LI614681 - LI614682



LI614683 - LI614684 - LI614685




LI614686 - LI614687 - LI614688



LI614689 - LI614690 - LI614691




LI614692 - LI614693 - LI614694




LI614695 - LI614696 - LI614697

DIMENSIONS



LI614698 - LI614699 - LI614700




LI614701 - LI614702 - LI614703


ACCESSORIES

Code No.	Model No.	Body Color	Body Material
LI614705	ILSEMSMTL500B01	Black	Aluminum
LI614706	ILSEMSMTL1000B01	Black	Aluminum
LI614707	ILSEMSMTL1500B01	Black	Aluminum
LI614708	ILSRMSMTL500B01	Black	Aluminum
LI614709	ILSRMSMTL1000B01	Black	Aluminum
LI614710	ILSRMSMTL1500B01	Black	Aluminum
LI614711	ILSSMMSMTL500B01	Black	Aluminum
LI614712	ILSSMMSMTL1000B01	Black	Aluminum
LI614713	ILSSMMSMTL1500B01	Black	Aluminum
LI614714	ILSUTMSMTL500B01	Black	Aluminum
LI614715	ILSUTMSMTL1000B01	Black	Aluminum
LI614716	ILSUTMSMTL1500B01	Black	Aluminum
LI614717	ILSIMSMTLB01	Black	Aluminum
LI614718	ILSLMSMTLB01	Black	Aluminum
LI614719	ILSTMSMTLB01	Black	Aluminum
LI614720	ILS7MSMTLB01	Black	Aluminum
LI614721	ILSIMSMTLB02	Black	Aluminum
LI614722	ILSLMSMTLB02	Black	Aluminum
LI614723	ILS7MSMTLB02	Black	Aluminum


ACCESSORIES DIMENSIONS




LI614705 - LI614706 - LI614707



LI614708 - LI614709 - LI614710




LI614711 - LI614712 - LI614713




LI614714 - LI614715 - LI614716

ACCESSORIES DIMENSIONS




LI614717

LI614718




LI614719

LI614720



LI614721

LI614722



LI614723



LED MAGNETIC ULTRA THIN LIGHT SERIES

**BEYOND LIGHT..
TO THE LAST DETAILS!**

