



LED PRO

SPIKE PROJECTOR LUMINAIRE SERIES



BEYOND LIGHT..
TO THE LAST DETAILS!

AREAS OF APPLICATION



Hospitality



Shopping Center



Commercial



Educational Center





TECHNICAL OPERATING & ELECTRICAL DATA

IP Rating	IP65
Voltage	AC220-240V
Frequency	50/60Hz
Cap Type	GU10
Mounting Type	Surface-mounted on the Ground
Dimming	Non-Dimmable
IEC Classification	Class I
Fixed or Adjustable	Adjustable
Lifespan	30000h

SPECIFICATIONS


Code No.	Model No.	Body Color	Body Material	Max. Wattage
612063	ILSSPMOPJF03	Black	Aluminum	Max. 9W
612464	ILSSPMOPJF03	Dark grey	Aluminum	Max. 9W
541099	ILSSPMOPJF01	Dark grey	Aluminum	Max. 9W
541131	ILSSPMOPJF02	Dark grey	Aluminum	Max. 9W

DIMENSIONS




612063 - 612464

541099



541131

APPLICATION PICTURE



This image is for display purpose only, the image may differ from the actual product, as the product is subject to modification provided without prior notice.

SPIKE PROJECTOR LUMINAIRE SERIES

**BEYOND LIGHT..
TO THE LAST DETAILS!**



Carrer de la Vall de la Ballestera, 64, 46015 València, Valencia, España, Tel: +34619824456

www.illusillumination.com

illus illumination reserve the right to make dimensional, design and technical alternations without prior notice. illus illumination endeavor to ensure that any advice, recommendation or information it provides in product literature is accurate and correct. However due to the fact that illus do not have direct control on where and how the products are installed, illus illumination cannot accept any liability either direct or indirect arising from the use of illus products whether or not in accordance with any advice, specification, recommendation or information provided by illus illumination or its distributors.