

Suitable Light for General Lighting applications

LED BOLLARD LUMINAIRE SERIES

| PRODUCT INFORMATION

- Suitable for a series of lighting applications in office, retail and general area lighting.
- Available in a wide variety of lumen packs, cut out size and color temperature.
- ILLUS LED BOLLARD Luminaire gives the customer the flexibility

 To choose between 6 models based on their specific need with lumen package from 250 lm to 270 lm.

BENEFITS

- Compact design for better integration with the building.
- Comfortable light with high efficiency.
- Reliable performance for indoor applications.

FEATURES

- High CRI>85.
- Long life span 30,000 hrs.
- Operating voltage AC100 240V.
- Non- Dimmable.



AREAS OF APPLICATION



Hospitality



Public indoor



Shopping Center



Commercial



Workplace



Educational center




I TECHNICAL OPERATING & ELECTRICAL DATA


Input Voltage & Frequency	AC100-240V, 50/60Hz
Rated CRI	85
Life Span	30,000h
Dimming	Non- Dimmable
Ambient Temperature	-20°C~45°C
Switching Cycle ON/OFF	15,000
Body Material	Aluminum
Body Color	Dark Gray


SPECIFICATIONS

Code No.	Model No.	Power	CCT	Lumen	Efficacy	Beam Angle	IP
541187	ILS13L3BD830WW01	13W	3000K	250lm	19.23lm/W	107°	65
541188	ILS13L5BD830WW01	13W	3000K	250lm	19.23lm/W	107°	65
541189	ILS13L8BD830WW01	13W	3000K	250lm	19.23lm/W	107°	65
541192	ILS7L3BD830WW01	7W	3000K	270lm	38.57lm/W	120°	54
541193	ILS7L5BD830WW01	7W	3000K	270lm	38.57lm/W	120°	54
541194	ILS7L8BD830WW01	7W	3000K	270lm	38.57m/W	120°	54

DIMENSIONS








541193 541194

APPLICATION PICTURE



LED BOLLARD LUMINAIRE SERIES

BEYOND LIGHT..
TO THE LAST DETAILS!

