



Simple & Flexible Solution

LED FLEXIBLE LINEAR LIGHT (WALL WASHER)

PRODUCT INFORMATION

- Excellently waterproof and anti-dust LED strips with professional design to guarantee lighting performance.
- It not only ensure high quality of lighting color consistency but also protect products outdoor against from harsh environments outdoors.
- ILLUS LED FLEXIBLE LINEAR LIGHT wall washer Light gives the customer the flexibility to choose between 4 models based on their specific need with lumen package from 670lm to 1400lm.

BENEFITS

- Water proof and vivid light color.
- Less maintenance cost and less concerns on water invasion.

FEATURES

- High CRI>85.
- Operating voltage DC24V.



**BEYOND LIGHT..
TO THE LAST DETAILS!**

AREAS OF APPLICATION



Hospitality



Shopping Center



Commercial



Educational Center


TECHNICAL OPERATING & ELECTRICAL DATA

Body Material	Silicon
Body Color	Black
Beam Angle	45°
IP Rating	IP65
Lumen	from 670-1400lm/M+/-10%
L70	50000H
Input Voltage	DC24V
CRI	85
Cutting Size	167MM
Dimming	Dimmable
Switching Cycle	100000X on/off
Ambient Temperature	-20°C~45°C


SPECIFICATIONS

Code No.	Model No.	Power	Lumen	Efficacy	CCT	Size
614514	ILS16WLVT830WW02	8.5W/0.5m	670lm/0.5M	78.82lm/W	3000K	500MM
614515	ILS16WLVT840NW02	8.5W/0.5m	700lm/0.5M	82.35lm/W	4000K	500MM
614516	ILS16WLVT830WW03	16W	1300lm	81.25lm/W	3000K	1000MM
614517	ILS16WLVT840NW03	16W	1400lm	87.50lm/W	4000K	1000MM

DIMENSIONS



DIMENSIONS



614516 - 614517


ACCESSORIES

LED FLEXIBLE LINEAR LIGHT WALL WASHER
AVAILABLE AS AN ACCESSORY

Code No.	Model No.	Material	Body color
614431	ILSENDCSW01	Silicon	white
614432	ILSACSW01	Aluminum	Silver

DIMENSIONS

LED FLEXIBLE LINEAR LIGHT WALL WASHER
AVAILABLE AS AN ACCESSORY



614431

614432



This image is for display purpose only, the image may differ from the actual product, as the product is subject to modification provided without prior notice.

LED FLEXIBLE LINEAR LIGHT (WALL WASHER)

**BEYOND LIGHT..
TO THE LAST DETAILS!**

