



RECESSED POWER TRACK

ilict

AREAS OF APPLICATION



Hospitality



Shopping Center



Commercial



Educational Center


TECHNICAL OPERATING & ELECTRICAL DATA

Body Material	Aluminum+PC
Current	32A
Voltage	AC110V-250V
IP	IP20
Max. Wattage	8000W


SPECIFICATIONS

Code No.	Model No.	Body Color	Cutting Size
LI80010201	HYPAR150	Black	1490*62*30
LI80010202	HYPAR150	white	1490*62*30
LI80010203	HYPAR150	Silver	1490*62*30
LI80010204	HYPAR150	Dark Grey	1490*62*30
LI80010205	HYPAR120	Black	1190*62*30
LI80010206	HYPAR120	white	1190*62*30
LI80010207	HYPAR120	Silver	1190*62*30
LI80010208	HYPAR120	Dark Grey	1190*62*30
LI80010209	HYPAR100	Black	990*62*30
LI80010210	HYPAR100	white	990*62*30
LI80010211	HYPAR100	Silver	990*62*30
LI80010212	HYPAR100	Dark Grey	990*62*30
LI80010213	HYPAR080	Black	790*62*30
LI80010214	HYPAR080	white	790*62*30
LI80010215	HYPAR080	Silver	790*62*30
LI80010216	HYPAR080	Dark Grey	790*62*30
LI80010217	HYPAR060	Black	590*62*30
LI80010218	HYPAR060	white	590*62*30
LI80010219	HYPAR060	Silver	590*62*30
LI80010220	HYPAR060	Dark Grey	590*62*30
LI80010221	HYPAR045	Black	440*62*30
LI80010222	HYPAR045	white	440*62*30
LI80010223	HYPAR045	Silver	440*62*30
LI80010224	HYPAR045	Dark Grey	440*62*30


DIMENSIONS




LI80010201 - LI80010202 - LI80010203 - LI80010204



LI80010205 - LI80010206 - LI80010207 - LI80010208




LI80010209 - LI80010210 - LI80010211 - LI80010212




LI80010213 - LI80010214 - LI80010215 - LI80010216

DIMENSIONS



LI80010217 - LI80010218 - LI80010219 - LI80010220



LI80010221 - LI80010222 - LI80010223 - LI80010224



RECESSED POWER TRACK

