



LED PRO

For every project, where light really matters

LED GU10 MODULE LUMINAIRE SERIES

PRODUCT INFORMATION

- Suitable for a series of lighting applications in office, retail and general area lighting.
- Available in a wide variety of lumen packs, cut out size and color temperature.
- ILLUS LED GU10 MODULE Luminaire gives the customer the flexibility to choose between 4 models based on their specific need with lumen package from 1450lm to 1800lm.

BENEFITS

- Compact design for better integration with the building.
- Comfortable light with high efficiency.
- Reliable performance for indoor applications.

FEATURES

- High CRI>95.
- Lumen efficacy up to 95lm/w.
- Long life span 100,000hrs.
- Operating voltage AC220-240V .
- Non – dimmable.



BEYOND LIGHT..
TO THE LAST DETAILS!

AREAS OF APPLICATION



Hospitality



Shopping Center



Commercial



Educational Center




TECHNICAL OPERATING & ELECTRICAL DATA

IP Ratings	IP20
Body Color	Grey
Body Material	Aluminum
CRI	95
Voltage	AC220-240V
Frequency	50/60Hz
Beam Angle	24°
Dimming	Non-Dimmable
Cap Type	Direct
Fixed or Adjustable	Fixed
Life Span	50,000hrs

SPECIFICATIONS

Code No.	Model No.	Power	CCT	Lumen	Efficacy	Lamp Type
LI5101775	ILS19GU10M927WW01	19W	2700K	1450lm	76.32lm/w	Direct
LI5101776	ILS19GU10M930WW01	19W	3000K	1500lm	78.95lm/w	Direct
LI5101777	ILS19GU10M940NW01	19W	4000K	1700lm	89.47lm/w	Direct
LI5101778	ILS19GU10M950DL01	19W	5000K	1800lm	94.74lm/w	Direct


DIMENSIONS



ACCESSORIES

Code No.	Model No.	Beam Angle	Body Color	Body Material
LI5101779	ILS15LENSGU10M01	15°	Clear	PC
LI5101780	ILS36LENSGU10M01	36°	Clear	PC
LI5101781	ILS45LENSGU10M01	50°	Clear	PC

ACCESSORIES DIMENSIONS



LI5101779 - LI5101780 - LI5101781



This image is for display purpose only, the image may differ from the actual product, as the product is subject to modification provided without prior notice.

LED GU10 MODULE LUMINAIRE SERIES

BEYOND LIGHT..
TO THE LAST DETAILS!

