



LED PRO

Full range recessed up-light to make your space distinctive

LED IN-GROUND LUMINAIRE

PRODUCT INFORMATION

- Provide a completed range of up-lights in terms of wattage, color temperature.
- Make your space distinctive with more safety and convenience as well.
- ILLUS LED IN-GROUND Luminaire gives the customer the flexibility to choose based on their specific need with lumen package of 163lm.

BENEFITS

- Easy to opt.
- Quick installation.
- Robust design for severe conditions.
- Equipped with surge protection function.

FEATURES

- High CRI>80.
- Efficacy up to 54lm/w.
- Long life span 30,000H.
- Operating voltage AC220-240V .
- Non-Dimmable.
- Good Impact Rating.



**BEYOND LIGHT..
TO THE LAST DETAILS!**

AREAS OF APPLICATION



Industrial



Shopping Center



Garden



Commercial



Educational Center




TECHNICAL OPERATING & ELECTRICAL DATA

IP Rating	IP67
CRI	80
Body Color	Silver
Body Material	Aluminum
Voltage & Frequency	AC220-240V, 50/60Hz
IEC Classification	Class II
Ambient Temperature	-20°C~45°C
Dimming	Non-Dimmable
Lifespan	30000H
Switching Cycle	15000x on/off
Warranty Period	60 Months

SPECIFICATIONS

Code No.	Model No.	Power	Lumen	Efficacy	CCT	IK Rating	Beam Angle	Surge Protection
614225	ILS3WRMOIGL01	3W	163lm	54.33lm/W	2700K	IK08	25°	1kV

DIMENSIONS



614225 (Cutting Size-Ø46mm)



**LED IN-GROUND
LUMINAIRE**

**BEYOND LIGHT..
TO THE LAST DETAILS!**

