

Instant retrofit, instant savings

LED HIGH POWER LUMINAIRE SERIES 1

PRODUCT INFORMATION

- Innovative, easy to use and high-quality luminaires.
- A reliable, highly efficient luminaires with a very long lifetime, it delivers energy savings and requires less maintenance.
- ILLUS LED HIGH POWER luminaire gives the customer the flexibility to choose between 4 models based on their specific need with lumen package from 11000lm to 16500lm.

BENEFITS

- Saves on energy and maintenance costs.
- Easy installation with a single suspension hook and additional mounting brackets for more flexibility.
- Ideal for general application projects.

FEATURES

- High CRI>85.
- Efficacy up to 110 lm/w.
- Long life span 50,000 hrs.
- Wide operating voltage AC100 240V.
- Non dimmable.



AREAS OF APPLICATION





Hospitality

Shopping Center





Commercial

Educational Center






I TECHNICAL OPERATING & ELECTRICAL DATA


IP Rating	IP20
Voltage	AC100-240V
Frequency	50/60Hz
Dimming	Non- Dimmable
Fixed or Adjustable	Fixed
Life span	50000h
Beam Angle	120°
Lumen Efficacy	110
ССТ	3CCT Dip Switch Color (3000K, 4000K and 6500K)

SPECIFICATIONS


Code No.	Item Model No.	Body Color	Rated Power	Rated Lumen	Body Material
LI614409	ILS100HBL8CCTB01	Black	100W	11000@3000K	Aluminum+plastic
LI614410	ILS150HBL8CCTB01	Black	150W	16500@3000K	Aluminum+plastic
LI614411	ILS100HBL8CCTW01	White	100W	11000@3000K	Aluminum+plastic
LI614412	ILS150HBL8CCTW01	White	150W	16500@3000K	Aluminum+plastic


DIMENSIONS





LI614409 - LI614411







LI614410 - LI614412

ACCESSORIES SPECIFICATIONS

Code No.	Item Model No.	Rated Power	Body Color	Body Material
LI614413	ILSHOOKHPLB01	/	Black	Aluminum
LI614414	ILSHOOKHPLW01	/	White	Aluminum
LI614415	ILS30BSCHPL01	/	Black	Iron
LI614416	ILS60BSCHPL01	/	Black	Iron
LI614417	ILS30WSCHPL01	/	White	Iron
LI614418	ILS60WSCHPL01	/	White	Iron
LI614419	ILS100RFCB01	/	Black + Chrome	Aluminum
LI614420	ILS150RFCB01	/	Black + Chrome	Aluminum
LI614421	ILS100RFCC01	/	Chrome	Aluminum
LI614422	ILS150RFCC01	/	Chrome	Aluminum


ACCESSORIES DIMENSIONS






LI614413 - LI614414


LI614415 - LI614417






LI614416 - LI614418

LI614419 - LI614421



LI614420 - LI614422

APPLICATION PICTURE



LED HIGH POWER LUMINAIRE SERIES 1 BEYOND LIGHT..
TO THE LAST DETAILS!

