



Combining visual comfort and performance

LED BOLLARD LUMINAIRE SERIES

PRODUCT INFORMATION

- Designed for use in urban areas where comfortable lighting, ambiance and design play an important role.
- Provides high visual comfort while maintaining excellent performance.
- ILLUS LED BOLLARD Luminaire gives the customer the flexibility to choose between 5 models based on their specific needs with lumen package from 396lm to 1624lm.

BENEFITS

- Elegant iconic range delivering comfortable lighting.
- Excellent lighting performance and high quality of product and finishing.
- Suitable for both renovation projects and new installation.
- Equipped with surge protective function.

FEATURES

- Operating voltage AC220-240V.
- Non-Dimmable.
- Good Impact Rating.



**BEYOND LIGHT..
TO THE LAST DETAILS!**

AREAS OF APPLICATION



Commercial



Shopping Center



Educational center



Garden



TECHNICAL OPERATING & ELECTRICAL DATA

Body Color	Dark Grey
Body Material	Aluminum
Input Voltage & Frequency	AC220-240V, 50/60Hz
Ingress Protection Rating	IP65
Dimming	Non-Dimmable
CCT	3000K
IEC Classification	Class I
Lifespan	30000H
Switching Cycle	15000x on/off

SPECIFICATIONS



Code No.	Model No.	Power	Lumen	IK Rating	TA	Surge Protection	Beam Angle	Warranty
LI541139	ILS20SMOBDL01	20W	1466lm	IK10	25°C	1.5kV	344°	36 Months
LI541140	ILS20SMOBDL02	20W	1624lm	IK10	25°C	1.5kV	296°	36 Months
LI541148	ILS13SMOBDL01	13W	913lm	IK10	25°C	2kV	342°	36 Months
LI612090	ILS8.5SMOBDL01	8.5W	396lm	IK08	-20°C~45°C	1kV	111°	60 Months
LI612091	ILS8.5SMOBDL01	8.5W	396lm	IK08	-20°C~45°C	1kV	111°	60 Months

DIMENSIONS



541139

541140



541148

612090 - 612091

APPLICATION PICTURE



This image is for display purpose only, the image may differ from the actual product, as the product is subject to modification provided without prior notice.

LED BOLLARD LUMINAIRE SERIES

BEYOND LIGHT..
TO THE LAST DETAILS!



C/ Cuenca, 87, Alaquas 46970, (Valencia) Spain, Ph. 34 961 623 958

www.illuslighting.com

illus illumination reserve the right to make dimensional, design and technical alternations without prior notice. illus illumination endeavor to ensure that any advice, recommendation or information it provides in product literature is accurate and correct. However due to the fact that illus do not have direct control on where and how the products are installed, illus illumination cannot accept any liability either direct or indirect arising from the use of illus products whether or not in accordance with any advice, specification, recommendation or information provided by illus illumination or its distributors.

08/2021M1